

	10" PDU		19" PDU				
			- TOTAL COLOR				
Part number	DN-95411	DN-95418	DN-95401	DN-95402	DN-95403	DN-95404	
Product Name	Aluminium outlet strip, 3 safety outlets, 2 m supply safety plug	10" Socket Strip with Aluminum Profile, 4-way safety sockets	Aluminum outlet strip, 8 safety outlets, 2 m supply safety plug	Aluminum outlet strip with switch, 7 safety outlets, 2 m supply safety plug	Aluminum outlet strip with overload protection, 7 safety outlets, 2 m supply safety plug	Aluminum outlet strip, 10 outlets, 2 m supply IEC C14 plug	
Safety Outlet	3	4	8	7	7	$\otimes$	
IEC 13 Outlet	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	10 Locked	
IEC 19 Outlet	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	
Lighted Switch	$\otimes$	$\otimes$	$\otimes$	$\odot$	$\odot$	$\otimes$	
16A Overload Power Indicator	⊗	⊗	$\otimes$	⊗	$\odot$	$\odot$	
Surge Protection	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	
10A Fuse	⊗	⊗	$\otimes$	⊗	$\otimes$	$\otimes$	
Surge Protection with Filter	$\otimes$	8	$\otimes$	⊗	$\otimes$	$\otimes$	
16A Circuit Breaker	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	
Phase	1	1	1	1	1	1	
Current	16A	16A	16A	16A	16A	10A	
Voltage	230V	230V	230V	230V	230V	230V	
Input	CEE 7/7 Plug	CEE 7/7 Plug	CEE 7/7 Plug	CEE 7/7 Plug	CEE 7/7 Plug	C14 Plug	
Cable Length	2m	2m	2m	2m	2m	2m	
Cable Diameter	1.5mm²	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	
Attached Mounting Brackets	⊗	<b>⊘</b>	$\otimes$	⊗	$\otimes$	<b>⊘</b>	
Detachable 8-direction Mounting Brackets	$\otimes$	⊗	$\odot$		$\odot$	$\otimes$	
Dimension (Height)	254 mm (10")	254 mm (10")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	



	19" PDU							
	STREET COOK			1000000				
Part number	DN-95407	DN-95410	DN-95410-R	DN-95417	DN-95426	DN-95427		
Product Name	Aluminum outlet strip with switch, 7 safety outlets, 2 m supply with surge protection	Aluminum outlet strip with pre-fuse, 8 safety outlets, 2 m supply IEC C14 plug	Aluminum outlet strip with pre-fuse, 8 safety outlets, 2 m supply IEC C14 plug	DIGITUS Aluminum Outlet Strip, 6 safety outlets with circuit breaker	DIGITUS Socket strip with aluminum profile, 12-way, 2 m cable safety plug	DIGITUS Socket Strip with Aluminum Profile, 10-way, 2 m cable IEC C20 plug		
Safety Outlet	7	8	8 Red	6	$\otimes$	$\otimes$		
IEC 13 Outlet	$\otimes$	$\otimes$	$\otimes$	$\otimes$	12	8 lockable		
IEC 19 Outlet	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	2 lockable		
Lighted Switch	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	<b>(X)</b>		
16A Overload Power Indicator	$\otimes$	8	$\otimes$	⊗	$\otimes$	⊗		
Surge Protection	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$		
10A Fuse	$\otimes$	<b>⊘</b>	$\odot$	$\otimes$	$\otimes$	$\otimes$		
Surge Protection with Filter	$\otimes$	⊗	$\otimes$	$\otimes$	<u>.</u>	⊗		
16A Circuit Breaker	$\otimes$	$\otimes$	$\otimes$	$\odot$	$\otimes$	$\otimes$		
Phase	1	1	1	1	1	1		
Current	16A	10A	10A	16A	16A	16A		
Voltage	230V	230V	230V	230V	230V	230V		
Input	CEE 7/7 Plug	C14 Plug	C14 Plug	CEE 7/7 Plug	CEE 7/7 Plug	C20 Plug		
Cable Length	2m	2m	2m	2m	2m	2m		
Cable Diameter	1.5mm²	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm²	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>		
Attached Mounting Brackets	⊗	8	$\otimes$	8	$\odot$			
Detachable 8-direction Mounting Brackets	$\otimes$	<b>⊘</b>	$\odot$	$\odot$	$\otimes$	$\otimes$		
Dimension (Height)	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")		



	19" PDU							
Part number	DN-95428	DN-95429	DN-95432	DN-95433	DN-95436	DN-95437		
Product Name	DIGITUS Socket Strip with Aluminum Profile, 8-way safety socket, 2 m cable, IEC C20 plug	DIGITUS Socket Strip with Aluminum Profile, 9-way, IEC C14 input	DIGITUS Socket strip with aluminum profile and surge protection, integrated line filter, 6 safety sockets, 2 m cable safety plug	DIGITUS Socket strip with aluminum profile and switch, surge protection, integrated line filter, 5-way safety sockets, 2 m cable safety plug	DIGITUS aluminum outlet strip with overload protection, 8 safety outlets, 2 m supply safety plug	DIGITUS aluminum outlet strip with pre-fuse, 9 safety outlets, 2 m supply IEC C14 plug		
Safety Outlet	8	$\otimes$	6	5	8	9		
IEC 13 Outlet	$\otimes$	9	$\otimes$	$\otimes$	$\otimes$	$\otimes$		
IEC 19 Outlet	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$		
Lighted Switch	$\otimes$	$\otimes$	$\otimes$	$\odot$	$\odot$	$\otimes$		
16A Overload Power Indicator	$\otimes$	$\otimes$	8	$\otimes$	$\odot$	⊗		
Surge Protection	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$		
10A Fuse	$\otimes$	$\odot$	⊗	$\otimes$	$\otimes$	$\odot$		
Surge Protection with Filter	⊗	$\otimes$	<b>⊘</b>	$\odot$	$\otimes$	⊗		
16A Circuit Breaker	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$	$\otimes$		
Phase	1	1	1	1	1	1		
Current	16A	10A	16A	16A	16A	10A		
Voltage	230V	230V	230V	230V	230V	230V		
Input	C20 Plug	C14 Inlet	CEE 7/7 Plug	CEE 7/7 Plug	CEE 7/7 Plug	C14 Plug		
Cable Length	2m	NA	2m	2m	2m	2m		
Cable Diameter	1.5mm²	NA	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>		
Attached Mounting Brackets	⊗	$\otimes$	$\otimes$	$\otimes$	$\odot$	$\odot$		
Detachable 8-direction Mounting Brackets	$\odot$	$\odot$	$\odot$	$\odot$	$\otimes$	8		
Dimension (Height)	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")		

## **1U Basic PDU**



	19" PDU					
		TOGGGGGGGGG	TE ROBROSS			
Part number	DN-95439	DN-95440	DN-95441			
Product Name	DIGITUS Aluminum Outlet Strip, 7 safety outlets with circuit breaker, 2 m supply safety plug	DIGITUS Socket Strip with Aluminum Profile, 9-way safety socket, 2 m cable, IEC C20 plug	DIGITUS Socket strip with aluminum profile and surge protection, integrated line filter, 7 safety sockets, 2 m cable safety plug			
Safety Outlet	7	9	7			
IEC 13 Outlet	$\otimes$	$\otimes$	$\otimes$			
IEC 19 Outlet	$\otimes$	$\otimes$	⊗			
Lighted Switch	$\otimes$	$\otimes$	⊗			
16A Overload Power Indicator	$\otimes$	$\otimes$	8			
Surge Protection	$\otimes$	$\otimes$	⊗			
10A Fuse	$\otimes$	$\otimes$	$\otimes$			
Surge Protection with Filter	$\otimes$	$\otimes$	<b>⊘</b>			
16A Circuit Breaker	$\odot$	$\otimes$	⊗			
Phase	1	1	1			
Current	<b>1</b> 6A	16A	16A			
Voltage	230V	230V	230V			
Input	CEE 7/7 Plug	C20 Plug	CEE 7/7 Plug			
Cable Length	2m	2m	2m			
Cable Diameter	1.5mm²	1.5mm <sup>2</sup>	1.5mm <sup>2</sup>			
Attached Mounting Brackets	$\odot$	$\odot$	$\odot$			
Detachable 8-direction Mounting Brackets	$\otimes$	$\otimes$	$\otimes$			
Dimension (Height)	482,6 mm (19")	482,6 mm (19")	482,6 mm (19")			