

DIGITUS® DIGITUS □□□□□□□□□ □□□□□□ "□□□□□ □□□□" CAT 5e

DK-1521-V-305

EAN 4016032241126

CAT 5e F-UTP installation cable, 100 MHz Eca (PVC), AWG 24/1, 305 m paper box, sx, grey

Подходит для установки кабельных линий класса D, 100 МГц

Отличная производительность и качество связи для Вашей сети

- Физическое описание
- Изоляция : PE
- Общее количество изолированных проводников : 8, свиты в 4 пары
- Цветовой код : сине -белый , оранжево -белый , зелено -белый , коричнево -белый
- Индивидуальная экранировка пар : отсутствует
- Внешняя оболочка : ПВХ
- Цвет : Серый (RAL 7035)
- Механические свойства
- Растяжение : 150 Н макс .

Attributes

- Assortment: Twisted Pair Installation Cables
- Category: CAT 5e
- Shielding: F-UTP, foil shielding
- CPR: Eca
- Length: 305 m
- Color: grey
- Jacket: PVC
- Structure: 4 x 2 AWG 24/1, solid twisted pair

Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	2	27.00	43.00	43.00	25.00	46,225.00
Packaging Unit Inside	1	13.50	21.00	40.00	42.00	35,280.00
Packaging Unit Single	1	13.50	21.00	40.00	42.00	35,280.00
Net single without Packaging	1	12.50	41.00	41.00	24.00	0.00

Druckfehler, Irrtümer und technische Änderungen sind vorbehalten. | Printing errors, falsities and technical changes remain reserved.

More images:



















Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- For indoor cables (LSZH jacket): Suitable only for installation in dry indoor environments.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com