


# DIGITUS USB extension cable

**AK-300200-030-S**  
**EAN 4016032283119**



## USB extension cable, type A M/F, 3.0m, USB 2.0 suitable, bl

For extension of USB cables or devices (with USB A plug).  
 Datatransferrate up to 480 Mbps (High-Speed).

**Allows a reliable and fast connection of external USB devices to the PC.**

### Attributes


- Assortment: USB Cables


- AWG: 30
- Color cable: black
- Color connector: black
- Connector 1: USB A, plug
- Connector 2: USB A, jack
- Connector surface: nickel-plated
- Hoods: molded
- USB compliance: USB 2.0
- Length: 3 m

### Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	220	14.58	32.00	45.00	25.00	36,000.00
Packaging Unit Inside	10	0.66	6.00	23.00	35.00	4,830.00
Packaging Unit Single	1	0.07	0.70	25.00	14.00	245.00
Net single without Packaging	1	0.06	1.00	14.00	10.00	0.00

### More images:



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schöffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)