

# DIGITUS® Adaptador DisplayPort

DB-340602-000-S  
EAN 4016032292470



## Adaptador DisplayPort, tipo DP - HDMI A St/Bu, c/Bloqueio, Full HD, DP 1.1a, pb

Pode utilizar este adaptador para ligar um cabo HDMI a uma interface Displayport na placa gráfica ou no computador portátil, por exemplo.

### Para ligar um cabo HDMI se não estiver disponível um cabo DisplayPort

- Suporta o modo duplo DP++
- Resolução máxima de vídeo suportada: 1920 x 1080 p com 60 Hz
- Largura de banda máxima: 10,8 Gbps
- Versão HBR/modo de transferência: HBR1 (2,70 Gbit/s por via)
- Versão HDCP: HDCP 1.3

### Attributes

- Assortment: DisplayPort Cables
- Color cable: black
- Color connector: black
- Connector 1: DP, plug
- Connector 2: HDMI type A, jack
- Connector surface: nickel-plated
- DisplayPort standard: DisplayPort 1.1a
- HDTV Standard: Full HD
- Hoods: molded
- Interlock: Snap fastener
- Resolution max.: 1920 x 1080 Pixel, 60Hz
- Length: 0.1 m
- AOC - Active Optical Cable: no

### Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	60	4.80	21.00	24.00	31.00	15,624.00
Packaging Unit Inside	30	2.40	19.00	11.00	29.00	6,061.00
Packaging Unit Single	1	0.08	3.00	5.50	10.00	165.00
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)