

DIGITUS® Gigabitmedya Dönüştürücüsü, RJ45 / SC

DN-82121-1

EAN 4016032293132



Gigabit Ethernet Media Converter, Singlemode SC connector, 1310nm, up to 10km

DIGITUS® medya dönüştürücüleri bakır ve fiber ağ sinyallerinin geçişi için ideal bir çözümdür. Bundan böyle tüm ağ alt yapınızı yenilemeden kilometrelerce mesafe üzerinden fiber teknolojisine erişebilirsiniz. Geniş ürün yelpazemiz kişisel ihtiyaçlarınızı karşılar. Sezgisel kullanım, hızlı ve kolay bir kurulumu garanti eder.

Optik veri aktarımı için mükemmel dönüştürücü çözümü

- Tel bazındaki ağ sinyallerini fiber sinyallere dönüştürür
- Yüksek kalite ve mükemmel güvenilirlik
- 10/100/1000Base-TX'den 1000Base-LX'e
- Çıkışlar: 1x RJ45, 1x SC Çift Yönlü
- 20km'ye kadar erişim mesafesi
- Dalga boyu: 1310 nm
- Tekli Mod Çift Fiber
- Otomatik kablo tanıma - Otomatik-MDI-/ MDI-X fonksiyonu
- Tam ve yarım çift yönlü otomatik tanıma
- Durum ve aktivite denetimi için arıza tespit LED'leri
- 9/125µm Fiber Kablolar için uygundur
- Aktarım Gücü: minimum -12 dBm, maksimum -6 dBm
- Alış Gücü Hassasiyeti: minimum -21 dBm

- Desteklenen standartlar: IEEE 802.3 Ethernet, IEEE 802.3u Fast Ethernet, IEEE 802.3z Gigabit Ethernet
- 2MB Veri Arabelleği
- Çalıştırma Sıcaklığı: 0 ila 60°C arası
- Ölçüler (U x G x Y): 95mm x 70mm x 26mm
- Ağırlık: 200 g
- Harici güç kaynağına sahip Bağımsız Dönüştürücü
- Giriş Besleme Voltajı: 5V DC

Attributes

- Konektör 1: RJ45
- Konektör 2: SC
- Mod: Tek modlu
- Mesafe (km): 20
- Endüstriyel kullanım: no
- Yayın Modu: Tek Yönlü
- PoE enjektörü: no
- Ethernet hızı: Gigabit

Package contents

- Medya Dönüştürücü
- Hızlı başlatma kılavuzu
- Güç adaptörü

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	9.00	30.00	27.00	55.00	44,550.00
Packaging Unit Inside	1	0.45	6.00	21.60	16.10	2,086.56
Packaging Unit Single	1	0.45	6.00	21.60	16.10	2,086.56
Net single without Packaging	1	0.18	12.00	7.00	2.60	0.00

More images:



Part Number	Part Name	Speed	Connector	Distance	Medium	Message#	Operating Temperature	Additional Notes
DM-1000-01	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-02	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-03	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-04	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-05	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-06	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-07	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-08	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-09	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-10	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-11	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-12	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-13	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-14	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-15	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-16	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-17	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-18	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-19	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-20	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-21	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-22	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-23	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-24	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-25	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-26	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-27	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-28	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-29	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-30	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-31	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-32	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-33	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-34	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-35	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-36	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-37	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-38	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-39	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-40	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-41	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-42	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-43	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-44	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-45	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-46	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-47	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-48	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-49	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	
DM-1000-50	1000Mbps SFP to RJ45 Media Converter	1000Mbps	LC	10km	Plastic	1000Mbps	0°C to 40°C	



Safety notes

- Işık kaynakları ile doğrudan temastan kaçının: Fiber optik kablolar, özellikle de lazer gibi aktif ışık kaynaklarına sahip olanlar (örneğin optik iletişim sistemlerinde), gözle zarar verebilecek tehlikeli
- radyasyon yayabilir. Işık kaynağı çıplak gözle görülmese bile, bir optik fiberin ışığına doğrudan bakmamaya özen gösterin.
- Fiber optik kablolarla çalışırken, özellikle testler sırasında veya lazerlerle çalışırken, zararlı radyasyona karşı korunmak için her zaman koruyucu gözlük takılmalıdır.
- Kabloyu takarken ve çıkarırken, sadece fişi tutun ve kabloyu doğrudan çekmeyin.
- Bükmeyin veya ezmeyin: Fiber optik kablolar mekanik gerilime karşı hassastır.
- Kabloları fiziksel hasarlardan korumak için özel kanallara veya koruyucu malzemelerle döşenmelidir
- Kablo konektörlerini temiz tutun: Fiber optik kablolar toza ve kire karşı hassastır. Konektörlerdeki küçük parçacıklar bile sinyal kalitesini ciddi şekilde bozabilir.
- Kablolar aşırı yüksek veya çok düşük sıcaklıklara sahip ortamlarda kullanılmamalıdır. Kablonun maksimum çalışma sıcaklığı ile ilgili ürün bilgilerine dikkat edin
- Kablolarda çatlak, bükülme veya aşınma belirtileri gibi görünür hasarlar olup olmadığını düzenli olarak kontrol edin. Arızalı kablolar derhal değiştirilmelidir.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com