

# DIGITUS® Cabo de ligação HDMI de alta velocidade, com amplificador

AK-330105-100-S

EAN 4016032295792



## Cabo de ligação HDMI de alta velocidade, tipo A, c/ amp. St/St, 10,0 m, Full HD, dourado, preto

Este cabo compatível com Full HD (1080p) e 3D com amplificador ativo é utilizado para ligar dispositivos áudio/vídeo, como leitores Blu-ray, consolas de jogos, etc., a um televisor, monitor ou PC.

### Compatível com Full HD e 3D

- Suporte de funcionalidades HDMI 1.3
- Suporta até 1080p com 60 Hz
- Formatos de vídeo suportados: 1080p @24 Hz, 1080p @30 ou 60@Hz; 3D
- Formatos de áudio suportados: DVD-Audio, SACD, Dolby Digital Plus, TrueHD e dts-HD
- Suporte 3D
- Importante: Este cabo HDMI ativo é direcional. Uma direção de ligação incorrecta resultará na ausência de sinal.

### Attributes

- Assortment: HDMI Cables
- AWG: 28
- Color cable: black
- Color connector: black
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- Connector surface: gold-plated
- HDMI Standard: High Speed HDMI
- HDTV Standard: Full HD
- Hoods: molded
- Resolution max.: 1920 x 1080 Pixel, 60Hz
- Wire material: CU
- Length: 10 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

### Logistics

|                              | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm <sup>3</sup> |
|------------------------------|--------------|-------------|------------|------------|-------------|-----------------|
| Packaging Unit Carton        | 15           | 10.80       | 52.00      | 32.00      | 21.00       | 34,944.00       |
| Packaging Unit Inside        | 1            | 0.72        | 17.00      | 18.00      | 7.00        | 2,142.00        |
| Packaging Unit Single        | 1            | 0.72        | 17.00      | 18.00      | 7.00        | 2,142.00        |
| Net single without Packaging | 1            | 0.64        | 15.00      | 15.00      | 6.00        | 0.00            |

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)