

DIGITUS® mini GBIC (SFP) 1,25 Gbps/0,55 μm

DN-81000
EAN 4016032305651



1.25 Gbps SFP Module, Multimode LC Duplex Connector, 850nm, Up to 550m

DIGITUS® Mini GBIC (SFP) (Source Agreement) Plug and Play

- Mini GBIC SFP (Plug and Play)
- Kompatibilität: Allied Telesis, Almer, Avaya, CISCO, D-Link, Edimax, FINISAR, FORCE 10, Gigamon Intellinet, KTI Networks, Level One, PLANET, Tenda, TP-Link, TRENDnet, Mikrotik, ENTERASYS, RIVERSTONE, Unifi, Ubiquiti, ZyXEL, ZTE
- Kompatibilität: IEEE 802.3z
- Norm: EN 60825-1
- Plug and Play
- MSA (MSA)
- LC
- 1000Base-SX – LC

- Wellenlänge: 850 nm
- Modulationsrate: 1,25 Gbps
- DDM Support: no
- Temperaturbereich: 0-70 °C

Attributes

- Mode: Multimode
- Connector: LC
- Distance (km): 0.5
- Wavelength: 850 nm
- DDM Support: no
- Broadcasting Mode: Unidirectional
- Manufacturer compatibility: Universal (MSA), Cisco
- Ethernet speed: Gigabit

Package contents

- 1 SFP

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	240	8.50	50.00	39.00	25.00	48,750.00
Packaging Unit Inside	30	1.06	7.00	20.00	30.00	4,200.00
Packaging Unit Single	1	0.04	11.50	5.50	2.50	158.13
Net single without Packaging	1	0.02	1.00	5.90	0.80	0.00

