DIGITUS DIGITUS сервер печати с параллельным интерфейсом

DN-13001-1
EAN 4016032315322

Parallel Print Server, 1-Port 1x RJ45, 1x DB-36-pin male Centronics

Parallel Print Server, 1-Port,1x RJ45, 1x DB-36-pin male Centronics

Легко превращает принтер на рабочем месте в сетевой принтер для всех подключённых пользователей

- Совместим со стандартами проводной сети Ethernet IEEE 802.3, IEEE 802.3u
- Один параллельный порт для подключения принтера
- Поддержка сетевых протоколов TCP / IP, IPX / SPX и NetBEUI
- Поддержка протоколов печати LPR, IPP и SMB/TCP
- Поддержка Peer-to-Peer печати (TCP / IP / IPX / NetBEUI / AppleTalk)
- Поддержка печати на сервере (Novell NetWare и Windows)
- Поддержка протоколов сервера и клиента DHCP
- Поддержка управления через Web, программа конфигурирования под Windows и SNMP протокол
- Обеспечивает простую процедуру установки, программы для конфигурации и диагностические программы
- Включая блок питания
- Совместима с Windows (2000, XP, Vista, 7, 8, 10), Mac (OS 10.3 и выше) и Linux

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	9.50	34.00	36.60	49.20	61,224.50
Packaging Unit Inside	1	0.48	6.80	23.00	15.30	2,392.92
Packaging Unit Single	1	0.48	6.80	23.00	15.30	2,392.92
Net single without Packaging	1	0.05	6.60	5.60	2.60	0.00

Safety notes

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com