DIGITUS DIGITUS CAT 6 U-UTP монтажный кабель витая пара

DK-1613-VH-305
EAN 4016032324553



CAT 6 U-UTP installation cable, 250 MHz Eca (EN 50575), AWG 23/1, 305 m paper box, sx, pu

Установочные кабели DIGITUS® категории 6 U-UTP изготовлены и протестированы в соответствии со стандартами ISO/IEC 11801, DIN EN 50173 и DIN EN 50288-5-1 для категории 6. Каждый провод состоит из 8 жил с индивидуальным цветовым кодом AWG 23 и пластиковой изоляцией. Жилы скручены вместе и формируют 4 пары с изменяющимся шагом скрутки. На внешней оплетке напечатана подробная информация: марка, артикул и длина кабеля 0 - 305 м. Кабель упакован в картонную выдвижную коробку, которая значительно упрощает его прокладку. Кроме того, это позволяет уменьшить количество вредных отходов.

Отличная производительность и качество связи для Вашей сети.

- Физическое описание
- Изоляция: полиэтилен высокой плотности
- Общее количество изолированных проводников: 8, свиты в 4 пары
- Цветовой код: сине-белый, оранжево-белый, зелено-белый, коричнево-белый
- Индивидуальная экранировка пар: отсутствует
- Общее экранирование: отсутствует
- Механические свойства
- Растяжение: 150 Н макс.
- Среднее полное сопротивление: 100±5 Ом на 1 МГц - 600 МГц

Attributes

- Assortment: Twisted Pair Installation Cables
- Category: CAT 6
- Shielding: U-UTP, unshielded
- CPR: Eca
- Length: 305 m
- Color: violet
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	12.30	45.00	44.50	25.00	50,062.50
Packaging Unit Inside	1	12.30	45.00	44.50	25.00	50,062.50
Packaging Unit Single	1	12.30	45.00	44.50	25.00	50,062.50
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00

More images:

















Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com