
DIGITUS® DIGITUS® CAT 6 U-UTP □□□□□□□□□ □□□□□□□, □□□□□

DK-1613-VH-5

EAN 4016032343660



CAT 6 U-UTP installation cable, 250 MHz Eca (EN 50575), AWG 23/1, 500 m drum, sx, purple

The Digitus Cat 6 U/UTP installation cable is designed for use in structured data centers and building cabling systems in accordance with ISO/IEC 11801, DIN EN 50288-6-1, DIN EN 50173, and IEC 60332-1. The cable is ideally suited for the transmission of analog and digital data and supports PoE and PoE+.

□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ □ □□□□□□□□□ □□□□□□ □□□□ □□□□□□ □□□□□.

- □□□□□□□□□□□ □□□□□□□□□
- □□□□□□□□□: □□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□
- □□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□ □□□□□□□□□□□□□: 8, □□□□□□ □ 4 □□□□□
- □□□□□□□□□□ □□□□: □□□□□-□□□□□□, □□□□□□□□□□-□□□□□□, □□□□□□□□-□□□□□□, □□□□□□□□□□□□-□□□□□□
- □□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□: □□□□□□□□□□□□□

- □□□□□□ □□□□□□□□□□□□□□□□: □□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□ □□□□□□□□□□
- □□□□□□□□□□□□: 150 □ □□□□□.
- □□□□□□□□ □□□□□□□ □□□□□□□□□□□□□□□□: 100±5 □□ □□ 1 □□□□ - 600 □□□□

Attributes

- Assortment: Twisted Pair Installation Cables
- Category: CAT 6
- Shielding: U-UTP, unshielded
- CPR: Eca
- Length: 500 m
- Color: violet
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

Logistics


	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	21.00	39.50	38.00	27.50	41,277.50
Packaging Unit Inside	1	21.00	0.00	0.00	0.00	0.00
Packaging Unit Single	1	21.00	37.00	37.00	29.00	39,701.00
Net single without Packaging	1	19.00	33.00	34.00	12.00	0.00


Druckfehler, Irrtümer und technische Änderungen sind vorbehalten. | Printing errors, falsities and technical changes remain reserved.


More images:





























Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- For indoor cables (LSZH jacket): Suitable only for installation in dry indoor environments.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com