DIGITUS® DIGITUS® CAT 6A □□□□□□□ U-UTP □□□□□□□□□□□□

DK-1613-A-VH-5

EAN 4016032344209



CAT 6A U-UTP installation cable, 500 MHz Eca (EN 50575), AWG 23/1, 500 m drum, sx, blue

DIGITUS® □□□□□□□□□□□□□□□□□□ □□□□□□□ □□□□□□□□□□ 6 A U-UTP □□□□□□□□□□□□ □ □□□□□□□□□□ □ □□□□□□□□□□□□□□ □□ □□□□□□□□□□□□□□□□□ □□□□□□□□□□ ISO/IEC 11
AWG 23, □□□□□□□□□□□□□□□□ □□□□□□□□□□□□. □□□□□□□□□□□□ □□□□□□□□□□□□ □ 4 □□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□ □□□□□□□ □□□□□□□□. □□ □□□□□□□□ □□□□□□□□□□ □□□□□□□□□

□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ □ □□□□□□□□□ □□□□□□ □□□□ □□□□□□ □□□□□.

- □□□□□□□□□□□□ □□□□□□□□□□
- □□□□□□□□□□: □□□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□□
- □□□□□□ □□□□□□□□□□□□ □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□: 8, □□□□□□ □ 4 □□□□□
- □□□□□□□□□□ □□□□: □□□□□-□□□□□□, □□□□□□□□□□-□□□□□□, □□□□□□□□-□□□□□□, □□□□□□□□□□-□□□□□□
- □□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□: □□□□□□□□□□□□□□
- □□□□□□ □□□□□□□□□□□□□□□□: □□□□□□□□□□□□□□
- □□□□□: □□□□□□□-□□□□□□

- □□□□□□□□□□□□□□ □□□□□□□□□□
- □□□□□□□□□□□□□: 150 □ □□□□□.
- □□□□□□□□ □□□□□□□ □□□□□□□□□□□□□□□□□: 100±5 □□ □□□, 1 □□□□ - 600 □□□□


Attributes


- Assortment: Twisted Pair Installation Cables
- Category: CAT 6A
- Shielding: U-UTP, unshielded
- CPR: Eca
- Length: 500 m
- Color: light-blue
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair


Logistics


	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	27.60	50.00	50.00	22.00	55,000.00
Packaging Unit Inside	1	27.60	50.00	50.00	22.00	55,000.00
Packaging Unit Single	1	27.60	50.00	50.00	22.00	55,000.00
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00


More images:





























Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- For indoor cables (LSZH jacket): Suitable only for installation in dry indoor environments.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com