

DIGITUS® DIGITUS CAT 7 S-FTP

DK-1743-VH-D-1

EAN 4016032392118



CAT 7 S-FTP installation cable, 1200 MHz Dca (EN 50575), AWG 23/1, 100 m ring, DX, orange

Digitus CAT 7 S-FTP installation cable, 1200 MHz Dca (EN 50575), AWG 23/1, 100 m ring, DX, orange. This cable is designed for high-speed data transmission and is suitable for use in industrial and commercial environments. It features a durable orange jacket and a braided shield to provide excellent protection against electromagnetic interference (EMI) and radio frequency interference (RFI).

- Conductor: 40 pairs/1000 pairs, 1000 pairs
- Shielding: S-FTP, pairs in metal foil and braid shielding
- CPR: Dca
- Length: 100 m
- Color: orange
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

- Conductor: 40 pairs/1000 pairs, 1000 pairs
- Shielding: S-FTP, pairs in metal foil and braid shielding
- CPR: Dca
- Length: 100 m
- Color: orange
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair






Attributes

- Assortment: Twisted Pair Installation Cables
- Category: CAT 7
- Shielding: S-FTP, pairs in metal foil and braid shielding
- CPR: Dca
- Length: 100 m
- Color: orange
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair


Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	10.14	40.00	40.00	14.00	22,400.00
Packaging Unit Inside	1	10.14	36.00	36.00	16.00	20,736.00
Packaging Unit Single	1	10.14	40.00	40.00	14.00	22,400.00
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00

More images:



Produktkennzeichen / Product Information	Physikalische Spezifikationen / Physical Properties
Produktkennzeichen DK-1743-WH-D-1 // CAT 7 S/FTP Installation Cable, 100m, Duplex, Dca	Physikalische Spezifikationen Kategorie: CAT 7 S/FTP Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4
Technische Eigenschaften Kategorie: CAT 7 S/FTP Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4	Mechanische Eigenschaften Kategorie: CAT 7 S/FTP Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4 Anzahl der Adressen: 4



Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>
 info@assmann.com