


More images:



24 Port 10G Ethernet PoE+ Injector

Minimization of the cabling costs for PoE-capable devices such as wireless APs, IP phones or any other PoE-capable device!

- Automatic surge protection
- Plug and play installation
- Supports backhaul
- Transmission range
- Energy-efficient operation
- Full Power Budget

Unleash 10 Gbps Power and Speed, All in One!

10G

10G Ethernet PoE+ Injector Series

- DN-95108 1x port 30 W
- DN-95116 16x port 250 W
- DN-95117 24x port 370 W

Wide range of applications

Ideal for offices, hotels, campuses, warehouses, supermarkets, retail stores and shopping malls

Power + Data

Power input socket

Input: 24x port (data)

Output: 24x port (data, PoE)

45 mm

440 mm

345 mm

Expand your network

- Public area: Wireless access points
- Outdoor installation: IP surveillance systems
- Business environment: VoIP, video conferencing, IP phones



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair

- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com