DIGITUS® DIGITUS® □□□. 6A □□□□□□□ U-FTP □□□□□□□□□□□□□

DK-1626-A-VH-5

EAN 4016032441847

CAT 6A U-FTP installation cable, 500 MHz B2ca (EN 50575), AWG 23/1, 500 m drum,

DIGITUS® □□□□□□□□□□□□□□□□ □□□□□□□ □□□□□□□□□□ 6A U-FTP □□□□□□□□□□□□ □ □□□□□□□□□□ □ □□□□□□□□□□□□□ □□ □□□□□□□□□□□□□□□ □□□□□□□□□□□ ISO/IEC 11
AWG 23, □□□□□□□□□□□□□□□ □□□□□□□□□□□□. □□□□□□□□□□□□ □□□□□□□□□□□□ □ 4 □□□□□□□□□□□□□□□□

More images:



















Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com

Druckfehler, Irrtümer und technische Änderungen sind vorbehalten. | Printing errors, falsities and technical changes remain reserved.