


DIGITUS® DIGITUS® CAT 6 F-UTP

DK-1625-VH-1
EAN 4016032442011



CAT 6 F-UTP installation cable, 250 MHz Cca (EN 50575), AWG 23/1, 100 m paper box,

DIGITUS® CAT 6 F-UTP installation cable, 250 MHz Cca (EN 50575), AWG 23/1, 100 m paper box, 4 twisted pairs of conductors (blue, orange, green, brown), shielded by a foil, outer jacket LSOH. Assortment: Twisted Pair Installation Cables

- Length: 100 m
- Category: CAT 6
- Shielding: F-UTP, foil shielding
- CPR: Cca
- Color: violet
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

- Length: 150 m
- Assortment: Twisted Pair Installation Cables

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	5.61	33.00	33.00	12.00	13,068.00
Packaging Unit Inside	1	5.61	0.00	0.00	0.00	0.00
Packaging Unit Single	1	5.61	33.00	33.00	12.00	13,068.00
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00

More images:






Leistungsparameter Performance Properties

PROZ.	ATT.	NEXT	PS NEXT	ACS	PL NEXT	RL	RL NEXT	PER NEXT
100	20	20	20	20	20	20	20	20
4	14	14	14	14	14	14	14	14
10	10	10	10	10	10	10	10	10
100	10	10	10	10	10	10	10	10
200	10	10	10	10	10	10	10	10
300	10	10	10	10	10	10	10	10



Produktinformation Product Information

Technische Eigenschaften	Physikalische Spezifikationen
Hersteller : ASSMANN Electronic GmbH Modellnummer : DK-1623-VH-1 Materialnummer : 1623-VH-1 Produkttyp : CAT 6 F/UTP	Farbe : Violett Material : PVC Abmessungen : 100m Länge Wegweiser : 100m
Elektrische Eigenschaften CAT 6 F/UTP 250 MHz 1 Gbit Ethernet Eca Class	Mechanische Eigenschaften 23/1 AWG 100m Länge Simplex



CEP Compliance

Standard	Ergebnis	Details
B2ca	1+	Flammverhalten
Cca	3	Wärmeabfuhr
Dca	3	Wärmeabfuhr
Eca	3	Wärmeabfuhr



Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com