


DIGITUS® DIGITUS®

DS-30221-1
EAN 4016032448082



USB 3.0, 4 Port, PCI Express Add-On card 4 Ports A/F External, VL805 chipset

Digitus® USB 3.0 PCI Express Add-On card 4 Ports A/F External, VL805 chipset. This card provides 4 ports of USB 3.0 connectivity. It is compatible with PCI Express 1.x and 2.0 slots. The card is designed for use in desktop PCs and laptops. It features a metal mounting bracket for easy installation. The card is powered by the host system's PCI Express bus. It is compatible with Windows 7, 8, 10, and Vista. The card is also compatible with Linux operating systems. It is a high-quality, reliable product that provides fast data transfer speeds. It is a great choice for users who need additional USB 3.0 ports on their PC.

- 4x USB 3.0 ports
- Compatible with USB 2.0/1.1
- Super-Speed (5 Gbps), High-Speed (480 Mbps), Full-Speed (12 Mbps)
- Plug-and-Play & Hot-Swapping
- v.2.0 PCI-Express & PCI-Express 1.x




- Compatible with PCI Express 1.x & 2.0
- Microsoft WHQL Windows 7 32/64 bit, Vista, Windows 10, 8, 7, XP
- Operating Temperature: 0-70 °C
- Windows 10, 8, 7, Vista & XP


Package contents

- 1x DIGITUS® USB 3.0 PCI Express Add-On card 4 Ports A/F External, VL805 chipset
- 1x CD
- 1x User Manual

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	40	5.24	38.00	30.00	28.00	31,920.00
Packaging Unit Inside	1	0.13	18.50	17.50	5.50	1,780.62
Packaging Unit Single	1	0.13	18.50	17.50	5.50	1,780.62
Net single without Packaging	1	0.05	12.00	8.00	2.00	0.00

More images:





Safety notes

- Switch off the computer completely and disconnect it from the power supply before installing or removing the network card.
- Static discharge can damage the product or the PC. Take measures against static discharge (ESD) when installing the product, e.g. wear an antistatic wrist strap.
- Before installation, touch the metal surface of the PC housing or another grounded object to ground any ESD charge via the housing.
- Avoid using too much force when connecting the product to the PC.
- Please ensure that any cables are connected correctly without overstretching or damaging them.
- Avoid touching the contacts of the product with your fingers to prevent corrosion or static charge.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com