

DIGITUS® Cabo de ligação HDMI Premium de alta velocidade com Ethernet

DK-330123-050-S

EAN 4016032448761



Cabo de ligação HDMI Premium de alta velocidade, tipo A St/St, 5,0 m, com/Ethern, Ultra HD, 4K@60Hz, dourado, p/b

Este cabo compatível com HD e 3D é utilizado para ligar dispositivos áudio/vídeo, como leitores Blu-ray, consolas de jogos, etc., a um televisor, monitor ou PC. Também adequado para utilização com qualquer aplicação baseada em IP.

Compatível com 4K/Ultra HD e HDR + conectividade Ethernet

- Suporta funcionalidades HDMI 2.0
- Suporta Ultra HD (60Hz) até uma resolução de 3840 x 2160p
- Suporte 4K 3D
- Suporte para High Dynamic Range (HDR)
- Suporta canal de retorno de áudio (ARC)
- Suporta o Controlo Eletrónico do Consumidor (CEC)
- Suporta sincronização labial (sincronização de áudio/vídeo)
- Compatível com Dolby TrueHD
- Suporte para vários fluxos de áudio/vídeo
- Suporte para Cinemascope 21:9

- Suporte de áudio de 32 canais
- Com canal Ethernet (HEC)

Attributes

- AWG: 28
- Color cable: black
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- Connector surface: gold-plated
- Ferrite filter: none
- HDMI Standard: Premium High Speed HDMI with Ethernet
- HDTV Standard: Ultra HD 4K
- Hoods: plastic
- Resolution max.: 3840 x 2160 Pixel, 60Hz
- Length: 5 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	40	10.00	46.00	30.00	25.00	34,500.00
Packaging Unit Inside	10	2.50	35.60	55.90	12.50	24,875.50
Packaging Unit Single	1	0.25	18.70	29.90	2.50	1,397.82
Net single without Packaging	1	0.17	15.00	15.00	2.50	0.00

More images:



Safety notes

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com