

# DIGITUS® Consola KVM LCD de 19", CAT 5 de 8 portas, teclado alemão

DS-72211-4GE

EAN 4016032449379



## Consola modular com TFT de 19" (48,3 cm), KVM CAT 5 de 8 portas e touchpad, teclado DE, 9005 bw

Grças à sua conceção modular, a consola DIGITUS® 19" TFT oferece uma vasta gama de opções de configuração individuais, de modo a que a consola possa ser personalizada de acordo com a área de aplicação. Isto torna a consola rentável e pode ser actualizada ou convertida com módulos adicionais em qualquer altura. A configuração flexível garante que a consola é altamente preparada para o futuro. A consola modular é composta por um monitor de 19", um computador KVM CAT 5 de 8 portas, um teclado e um touchpad.

### Máxima flexibilidade na administração do parque de servidores

- Monitor TFT de 48,3 cm (19"), com painel de vidro protetor antirreflexo e à prova de estilhaços
- Resolução: 1366x768 a 60Hz
- A consola cria até 85 % mais espaço
- Relação de contraste: 1000:1
- Suporta: 16,7 M de cores
- Inclui computador KVM CAT 5 de 8 portas
- Teclado alemão incluído
- Rato tátil com dois botões de função
- A consola pode ser completamente retirada do armário do servidor e o ecrã TFT pode ser inclinado 120 graus
- Peso bruto: 19,15 kg

- Bloqueio de segurança da consola para evitar danos
- Caixa economizadora de espaço (IU), preta (RAL 9005)
- 8 x dongle CAT 5
- Especificação do consumo de energia: Entrada: 100 – 240V AC, Saída: DC 12V / 4A
- Dispositivo Consumo de energia (máx.): 30W
- Tamanho da ficha DC: 5,5 x 2,1 mm
- Eléctrodo da ficha DC: Interior (+), Exterior (-)

### Attributes

- Cascading possible: yes
- Interface: CAT 5
- Keyboard Layout: DE
- Number of ports: 8
- Screen size: 19 inch

### Package contents

- Consola modular de 19"
- Computador KVM CAT 5 de 8 portas
- Teclado
- Guia de início rápido
- Unidade de alimentação eléctrica
- Material de montagem
- 8 x dongle CAT 5

## Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	1	23.36	81.00	70.50	19.50	111,355.00
Packaging Unit Inside	1	23.36	81.00	70.50	19.50	111,355.00
Packaging Unit Single	1	23.36	81.00	70.50	19.50	111,355.00
Net single without Packaging	1	12.54	69.50	48.00	4.50	0.00

**More images:**



**Safety notes**

- This product is intended for indoor use only.
- Read all instructions.
- Follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- If this appliance falls, it can cause serious damage.
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- This device is designed for the IT distribution system with 100 V - 230 V voltage.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- If an extension cable is used for the appliance, make sure that the total capacity of all products using the cable does not exceed the current load.
- Ensure that the total current of all products connected to the socket does not exceed 15 A.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
  - The mains cable or plug is damaged or worn;
  - Liquid has penetrated the appliance;
  - The device has been exposed to rain or water;
  - The device has been dropped or the housing has been damaged;
  - The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)