

# DIGITUS® Consola KVM LCD de 17", 8 portas CAT 5, teclado italiano

DS-72210-4IT

EAN 4016032449645



## Consola modular com TFT de 17" (43,2 cm), KVM CAT 5 de 8 portas e touchpad, teclado IT, 9005 bw

Graças à sua conceção modular, a consola DIGITUS® 17" TFT oferece uma vasta gama de opções de configuração individuais, de modo a que a consola possa ser personalizada de acordo com a área de aplicação. Isto torna a consola rentável e pode ser actualizada ou convertida com módulos adicionais em qualquer altura. A configuração flexível garante que a consola é altamente preparada para o futuro. A consola modular é composta por um monitor de 17", um comutador KVM CAT 5 de 8 portas, um teclado e um touchpad.

### Máxima flexibilidade na administração do parque de servidores

- Monitor TFT de 43,2 cm (17"), com painel de vidro protetor antirreflexo e à prova de estilhaços
- Resolução: 1280x1024 a 60 Hz
- A consola cria até 85 % mais espaço
- Relação de contraste: 1000:1
- Suporta: 16,7 M de cores
- Inclui comutador KVM CAT 5 de 8 portas
- Teclado italiano incluído
- Rato tátil com dois botões de função

- A consola pode ser completamente retirada do armário do servidor e o ecrã TFT pode ser inclinado 120 graus
- Peso bruto: 19,15 kg
- Bloqueio de segurança da consola para evitar danos
- Caixa economizadora de espaço (1U), preta (RAL 9005)
- 8 x dongle CAT 5

### Attributes

- Cascading possible: yes
- Interface: CAT 5
- Keyboard Layout: IT
- Number of ports: 8
- Screen size: 17 inch

### Package contents

- Consola modular de 17"
- Comutador KVM CAT 5 de 8 portas
- Teclado
- Guia de início rápido
- Unidade de alimentação eléctrica
- Material de montagem
- 8 x dongle CAT 5

## Logistics

|                              | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm³        |
|------------------------------|--------------|-------------|------------|------------|-------------|------------|
| Packaging Unit Carton        | 1            | 23.36       | 81.00      | 70.50      | 19.50       | 111,355.00 |
| Packaging Unit Inside        | 1            | 23.36       | 81.00      | 70.50      | 19.50       | 111,355.00 |
| Packaging Unit Single        | 1            | 23.36       | 81.00      | 70.50      | 19.50       | 111,355.00 |
| Net single without Packaging | 1            | 12.54       | 69.50      | 48.00      | 4.50        | 0.00       |

**More images:**



**Safety notes**

- This product is intended for indoor use only.
- Read all instructions.
- Follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- If this appliance falls, it can cause serious damage.
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- This device is designed for the IT distribution system with 100 V - 230 V voltage.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- If an extension cable is used for the appliance, make sure that the total capacity of all products using the cable does not exceed the current load.
- Ensure that the total current of all products connected to the socket does not exceed 15 A.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
  - The mains cable or plug is damaged or worn;
  - Liquid has penetrated the appliance;
  - The device has been exposed to rain or water;
  - The device has been dropped or the housing has been damaged;
  - The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)