

# DIGITUS® Switch de rede Fast Ethernet PoE de 24 portas, 19 polegadas, não gerido, 2 portas de ligação ascendente GE, SFP, 370 W, af/at

DN-95343

EAN 4016032451242



## Comutador Fast Ethernet PoE 24 portas PoE + 2 Combo, orçamento PoE de 370W

Os comutadores DIGITUS® Fast Ethernet PoE foram concebidos para sistemas de rede de média a grande dimensão. A função PoE e o tamanho de 19" facilitam a integração na sua rede. Os comutadores são uma ótima escolha para melhorar o desempenho e a eficiência da sua rede.

### Solução integrada Power over Ethernet (PoE) para redes de pequena e média dimensão

- 24 portas 10/100Base-TX com suporte PoE
- Uplink TP/SFP Gigabit Combo de 2 portas
- Está em conformidade com as normas de rede IEEE 802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3z, IEEE802.3x, IEEE802.3af, IEEE802.3at
- Saída de energia PoE 55V DC, máx. 30 W por porta
- Modo de alimentação PoE A, PIN 1/2(+), 3/6(-)
- Suporta reencaminhamento sem bloqueio e sem cabeça de linha
- Tecnologia store-and-forward para uma transferência de dados otimizada
- Detecção/definição automática de velocidade e half/full duplex
- Função Auto MDI/MDI-X
- 16K endereços MAC
- Unidade de alimentação eléctrica integrada
- Consumo de energia: 390 watts

- Potência máxima de saída PoE: 370 watts
- Fonte de alimentação: 100 - 240V AC
- Consumo de energia: 115V 60Hz 11.1W , 230V 50Hz 10.1W

### Attributes

- Number of ports: 24
- PoE Power budget: 370 W
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Fast Ethernet
- Industrial usage: no
- Installation type: 19 inch, Desktop
- Managed: no
- Number of ports (Uplink): 2
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vandalism: no
- Uplink port connection: RJ45/SFP
- VLAN: yes

### Package contents

- Comutador Fast Ethernet PoE de 24 portas
- Guia de início rápido
- Cabo de alimentação
- Acessórios de montagem

## Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	3	14.00	39.00	51.00	34.00	67,626.00
Packaging Unit Inside	1	4.67	31.50	49.30	7.20	11,181.20
Packaging Unit Single	1	4.67	31.50	49.30	7.20	11,181.20
Net single without Packaging	1	3.60	27.00	44.00	4.00	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
  - The mains cable, power supply unit or plug for the power supply is damaged or worn;
  - Liquid has penetrated the appliance;
  - The device has been exposed to rain or water;
  - The device has been dropped or the housing has been damaged;
  - The function of the device has obviously changed;
  - The appliance cannot be operated as described in the operating instructions.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)