

DIGITUS® 数据线 USB Type-C 转 DP 适配器

AK-300333-020-S
EAN 4016032451365



USB Type-C adapter cable, Type-C to DP M/M, 2.0m, 4K/60Hz, 32,4 GB, CE, bl, gold

- 该适配器可将 USB Type-C 4K DP 接口转换为 DP 接口，适用于笔记本电脑、平板电脑、手机、相机、摄像机、游戏机等设备。该适配器支持 4K/2K 分辨率，60Hz 刷新率，32,4 GB 容量，CE 认证，bl 认证，gold 认证。该适配器的长度为 2 米，重量为 0.10 kg。该适配器的尺寸为 15.00 cm x 3.00 cm x 14.00 cm。该适配器的包装单位为 1 个。
- 该适配器支持 USB-C 接口，可将 USB-C 接口转换为 DP 接口。
 - 该适配器支持 4K/2K 分辨率，60Hz 刷新率。
 - 该适配器支持 32,4 GB 容量。
 - 该适配器支持 CE 认证，bl 认证，gold 认证。
 - 该适配器的长度为 2 米。
 - 该适配器的重量为 0.10 kg。
 - 该适配器的尺寸为 15.00 cm x 3.00 cm x 14.00 cm。
 - 该适配器的包装单位为 1 个。

Attributes

- AWG: 26
- Connector 1: USB C plug
- Connector 2: DP, plug
- USB compliance: USB 3.0 / 3.1
- Length: 2 m
- Shielding: Double shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	40	9.40	35.00	26.00	24.00	21,840.00
Packaging Unit Inside	10	2.35	17.00	30.00	25.00	12,750.00
Packaging Unit Single	1	0.24	17.00	3.00	25.00	1,275.00
Net single without Packaging	1	0.10	15.00	3.00	14.00	0.00

More images:





Safety notes

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com