

DIGITUS® Hub de 4 portas USB Type-C™ (USB 3.0) + PD

DA-70242-1

EAN 4016032455653



HUB USB-C de 4 portas + PD 4x USB 3.0, 1x carregamento PD, prateado

Com este hub de 4 portas USB Type-C™, pode expandir o seu portátil existente com porta USB-C™ para quatro portas USB 3.0. Utilize até quatro dispositivos USB adicionais, como um rato, teclado ou dispositivos USB no seu computador portátil. Existe também uma porta USB-C™ (PD) no hub, que pode utilizar para carregar o seu computador portátil. Graças ao seu design fino, o concentrador de 4 portas USB-C™ da Digitus é o companheiro ideal em viagem, mas também é indispensável em casa e no escritório.

Amplia o seu computador portátil com porta USB-C™ para quatro portas USB 3.0 + uma porta USB-C™ com função de carregamento do computador portátil (PD) e função de carregamento das portas USB 3.0 (BC) quando um adaptador de corrente é ligado à porta USB-C™.

- 4 x portas USB 3.0 com função de carregamento (BC 1.2) quando uma fonte de alimentação está ligada à porta USB-C™ PD
- 1 x porta USB-C™ com fornecimento de energia
- Chipset: VL102 + GL3510
- Material: Alumínio
- Versão USB-C™: USB 3.1 (Gen. 1)

- Fornecimento de energia (PD): 3.0
- Carregamento da bateria (BC): 1,2
- Taxa de transferência de dados: até 5 Gbps
- Compatível com macOS X, Windows 7, 8, 10, Google Chrome OS
- Comprimento do cabo: 20 cm
- Temperatura de funcionamento: 0°C - 40°C (35°F a 100°F)
- Dimensões: C 11 x L 3,4 x A 1,2 cm
- Peso: 65 g
- Cor: Prateado

Attributes

- Number of ports: 4
- USB standard: USB 3.0 / 3.1
- USB-A (2.0) Connectors: 0
- USB-A (3.0) Connectors: 4
- USB-C Connectors: 1
- USB-C Products: yes

Package contents

- 1 x hub de 4 portas USB Type-C™ (USB 3.0) + PD
- 1 x manual de instruções

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	96	10.30	46.00	35.00	35.00	56,350.00
Packaging Unit Inside	1	0.11	14.00	14.00	2.00	472.00
Packaging Unit Single	1	0.11	11.00	2.30	17.50	442.75
Net single without Packaging	1	0.07	3.40	1.20	11.00	0.00

More images:



Safety notes

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>

info@assmann.com