


# DIGITUS® DIGITUS® CAT 6A U-FTP U-FTP

DK-1623-A-VH-D-1  
EAN 4016032456544



**CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23/1, 100 m, drum, dx, blue**


DIGITUS® 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue. 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue. ISO/IEC 11801 Class EA

- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.

- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- 100m 4x2 AWG 23/1 U-FTP CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23, 100m, drum, dx, blue.
- Assortment: Twisted Pair Installation Cables
- Category: CAT 6A
- Shielding: U-FTP, pairs in metal foil
- Color: light-blue
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	20	257.00	120.00	82.00	82.00	806,880.00
Packaging Unit Inside	1	12.85	0.00	0.00	0.00	0.00
Packaging Unit Single	1	12.85	40.00	40.00	14.00	22,400.00
Net single without Packaging	1	9.70	0.00	0.00	0.00	0.00

More images:



**DIGITUS**

AWG 23/1  
500 MHz  
10 Gbit Ethernet  
20°/75°  
LSZH  
Eca  
Cat 6a class

**CAT 6a U/FTP Installation Cable, 100m, Simplex, Eca**

**DIGITUS**

DK-1623-A-VH-1 // CAT 6, U/FTP Installation Cable, 100m, Simplex, Eca

Anwendungsbeispiel  
Example of use

**DIGITUS**

DK-1623-A-VH-1 // CAT 6, U/FTP Installation Cable, 100m, Simplex, Eca

Kabelquerschnitt  
Cable cross section

**DIGITUS**

Produktkennzeichen / Product Information	Physikalische Spezifikationen / Physical Properties
<b>Bestellnummer / Order number:</b> DK-1623-A-VH-1 <b>Produktname / Product name:</b> CAT 6a U/FTP Installation Cable, 100m, Simplex, Eca <b>Materialnummer / Material number:</b> 1623-A-VH-1 <b>Produktbeschreibung / Product description:</b> CAT 6a U/FTP Installation Cable, 100m, Simplex, Eca	<b>Typ / Type:</b> CAT 6a U/FTP <b>Material / Material:</b> PVC <b>Farbe / Color:</b> Blau / Blue <b>Abmessungen / Dimensions:</b> 100m <b>Temperaturbereich / Temperature range:</b> -20°C bis +75°C <b>Lebensdauer / Lifetime:</b> 10 Jahre / 10 years <b>Umweltbedingungen / Environmental conditions:</b> LSZH, Eca

**DIGITUS**

Leitungsgruppencharakteristiken / Transmission Properties

Strecke / Distance	AWG	AWG	AWG	AWG	AWG	AWG	AWG	AWG	AWG
1	23	24	25	26	27	28	29	30	31
10	23	24	25	26	27	28	29	30	31
100	23	24	25	26	27	28	29	30	31
1000	23	24	25	26	27	28	29	30	31

**Intertek**

ETL Verified Certificate of Conformance Number: 194229903P-001

Product Description: CAT 6a U/FTP Installation Cable, 100m, Simplex, Eca

Approved by: Intertek

**GHMT**

Certificate No. 194229903P-001

Zertifikat No. 194229903P-001

Kategorie 6a

Kategorie 6a

**DIGITUS**

**DIGITUS**

EN Normen / EN Standards	Herstellerkategorie / Manufacturer Category	Leistungsgruppenkategorie / Performance Category	Anforderungen an Zertifizierung / Requirements for Certification	Zertifizierungsverfahren / Certification Method
B2ca	Sehr hoch / Very High	1+	• Typenprüfung • Feldprüfung	s
Cca	Hoch / High	1	• Typenprüfung • Feldprüfung	d
Dca	Mittel / Medium	3	• Typenprüfung	a
Eca	Gering / Low	3	• Typenprüfung	a



Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)