
DIGITUS® 8-Port Fast Ethernet PoE Netwrkswitch, Desktop, unmanaged, 2 Uplink Ports RJ45,120 W, af/at

DN-95323-1

EAN 4016032457862



Fast Ethernet PoE Switch 8-port PoE + 2-port uplink, 120W PoE budget

Fast Ethernet PoE Switch,8-port PoE + 2-port uplink, 120W PoE budget

Network Switch with integrated Power over Ethernet (PoE) solution for an optimal, cost effective and fast integration in small or medium-sized networks

- 8-port 10/100Base-TX with PoE support
- 2-port Fast Ethernet uplink
- Meets the network standards IEEE 802.3, IEEE802.3u, IEEE802.3q, IEEE802.3az, IEEE802.3x, IEEE802.3af, IEEE802.3at
- With integrated DIP switch to enable VLAN or extensive mode
- Extensive mode for ranges up to 250 meters with a transmission rate o f 10Mbps
- PoE current output 55 V DC, max. 30 W per port
- PoE power supply mode A, PIN 1/2(+), 3/6(-)
- Supports non-blocking, non-head-of-line forwarding
- Supports back pressure and bandwidth control in each port
- Store and forward technology for optimized data transfer
- Automatic speed and half/full duplex recognition/adjustment
- Auto MDI/MDI-X function
- Backplane with 2 Gbps
- Supports up to 8K MAC addresses
- Integrated power supply unit
- Maximum PoE power of 120 watts
- Maximum output line 125 watts
- Fanless design

Attributes

- Number of ports: 8
- PoE Power budget: 120 W
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Fast Ethernet
- Industrial usage: no
- Installation type: 19 inch, Desktop
- Managed: no
- Number of ports (Uplink): 2
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vanadlism: no
- Uplink port connection: RJ45/SFP
- VLAN: no

Package contents

- 8 Port Fast Etherent PoE Switch + 2 Uplinks
- Quick start guide
- Power Cable
- Mounting accessories


Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	9.68	32.20	42.30	21.80	29,692.90
Packaging Unit Inside	1	1.94	20.00	31.00	8.00	4,960.00
Packaging Unit Single	1	1.94	20.00	31.00	8.00	4,960.00
Net single without Packaging	1	0.12	15.00	22.00	4.40	0.00

Druckfehler, Irrtümer und technische Änderungen sind vorbehalten. | Printing errors, falsities and technical changes remain reserved.

More images:















Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com