

# DIGITUS 8-Port Fast Ethernet PoE Netwrkswitch, Desktop, unmanaged, 2 Uplink Ports RJ45,120 W, af/at

DN-95323-1 EAN 4016032457862





## Fast Ethernet PoE Switch 8-port PoE + 2-port uplink, 120W PoE budget

Fast Ethernet PoE Switch,8-port PoE + 2-port uplink, 120W PoE budget

Network Switch with integrated Power over Ethernet (PoE) soluti on for an optimal, cost effective and fast integration in small or medium-sized networks

- 8-port 10/100Base-TX with PoE support
- 2-port Fast Ethernet uplink
- Meets the network standards IEEE 802.3, IEEE802.3u, IEEE802.3q, IEEE802.3az, IEEE802.3x, IEEE802.3af, IEEE802.3at
- With integrated DIP switch to enable VLAN or extensive mode
- Extensive mode for ranges up to 250 meters with a transmission ra te of 10Mbps
- PoE current output 55 V DC, max. 30 W per port
- PoE power supply mode A, PIN 1/2(+), 3/6(-)
- Supports non-blocking, non-head-of-line forwarding
- Supports back pressure and bandwidth control in each port
- Store and forward technology for optimized data transfer
- Automatic speed and half/full duplex recognition/adjustment
- Auto MDI/MDI-X function
- Backplane with 2 Gbps
- Supports up to 8K MAC addresses
- Integrated power supply unit

- Maximum PoE power of 120 watts
- · Maximum output line 125 watts
- · Fanless design

#### **Attributes**

- Number of ports: 8
- PoE Power budget: 120 W
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Fast Ethernet
- · Industrial usage: no
- Installation type: 19 inch, Desktop
- Managed: no
- Number of ports (Uplink): 2
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vanadlism: no
- Uplink port connection: RJ45/SFP
- VLAN: no

#### **Package contents**

- 8 Port Fast Etherent PoE Switch + 2 Uplinks
- Quick start guide
- Power Cable
- Mounting accessories

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	9.68	32.20	42.30	21.80	29,692.90
Packaging Unit Inside	1	1.94	20.00	31.00	8.00	4,960.00
Packaging Unit Single	1	1.94	20.00	31.00	8.00	4,960.00
Net single without Packaging	1	0.12	15.00	22.00	4.40	0.00



#### More images:















#### Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings
  must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
- · The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- · The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

### EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH Auf dem Schüffel 3 Lüdenscheid, Germany



https://www.assmann.com info@assmann.com