


DIGITUS® Switch de rede Fast Ethernet PoE de 8 portas, de secretária, não gerido, 2 portas de ligação ascendente RJ45, 120 W, af/at

DN-95323-1

EAN 4016032457862



Comutador Fast Ethernet PoE PoE de 8 portas + ligação ascendente de 2 portas, orçamento PoE de 120W

Comutador Fast Ethernet PoE, PoE de 8 portas + ligação ascendente de 2 portas, orçamento PoE de 120W

Switch de rede com solução Power over Ethernet (PoE) integrada para uma integração otimizada, económica e rápida em redes de pequena e média dimensão

- 8 portas 10/100Base-TX com suporte PoE
- Ligação ascendente Fast Ethernet de 2 portas
- Está em conformidade com as normas de rede IEEE 802.3, IEEE802.3u, IEEE802.3q, IEEE802.3az, IEEE802.3x, IEEE802.3af, IEEE802.3at
- Com interruptor DIP integrado para ativar a VLAN ou o modo extensivo
- Modo extensivo para alcances até 250 metros a uma velocidade de transmissão de 10 Mbps
- Saída de energia PoE 55 V DC, máx. 30 W por porta
- Modo de alimentação PoE A, PIN 1/2(+), 3/6(-)
- Suporta reencaminhamento sem bloqueio e sem cabeça de linha
- Suporta controlo da contrapressão e da largura de banda em cada porta
- Tecnologia store-and-forward para uma transferência de dados otimizada
- Detecção/definição automática de velocidade e half/full duplex
- Função Auto MDI / MDI-X
- Backplane com 2 Gbps
- Suporta até 8K endereços MAC

- Unidade de alimentação eléctrica integrada
- Potência PoE máxima de 120 watts
- Potência máxima de saída 125 watts
- Funcionamento sem ventoinha
- Especificação do consumo de energia: 100 - 240V AC
- Consumo de energia do dispositivo (máx.): 115V 60Hz 2,06W , 230V 50Hz 2,89W

Attributes


- Number of ports: 8
- PoE Power budget: 120 W
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Fast Ethernet
- Industrial usage: no
- Installation type: 19 inch, Desktop
- Managed: no
- Number of ports (Uplink): 2
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vandalism: no
- Uplink port connection: RJ45/SFP
- VLAN: no

Package contents

- Switch PoE Fast Ethernet de 8 portas + 2 uplinks
- Guia de início rápido
- Cabo de alimentação
- Acessórios de montagem

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	9.68	32.20	42.30	21.80	29,692.90
Packaging Unit Inside	1	1.94	20.00	31.00	8.00	4,960.00
Packaging Unit Single	1	1.94	20.00	31.00	8.00	4,960.00
Net single without Packaging	1	0.12	15.00	22.00	4.40	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
 - The mains cable, power supply unit or plug for the power supply is damaged or worn;
 - Liquid has penetrated the appliance;
 - The device has been exposed to rain or water;
 - The device has been dropped or the housing has been damaged;
 - The function of the device has obviously changed;
 - The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com