

DIGITUS® Cabo de carregamento USB 3 em 1, 0,15 m

DB-300160-002-S

EAN 4016032466208



Cabo de carregamento USB, 0,15 m Cabo 3 em 1, trança de nylon, preto

O cabo de carregamento DIGITUS® 3 em 1 é ideal para carregar os seus dispositivos portáteis numa fonte de alimentação, PC ou outro dispositivo com uma ligação USB-A. Utilize um cabo para carregar todos os seus aparelhos. As dimensões compactas tornam o cabo no companheiro ideal para casa, escritório ou em viagem.

Cabo multi-carregamento 3 em 1 para ligar dispositivos com ligação USB-C, micro USB ou 8 pinos a uma ligação USB-A

- Potência de carregamento suportada: 10 W (5 V / 2 A)
- Temperatura de funcionamento: -10 ~ 50°C
- Humidade de funcionamento: 0 - 75%
- Ligação 1: USB-A, ficha

- Ligação 2: Apple, ficha/ Micro-USB, ficha/ USB-C, ficha

Attributes

- AWG: 30
- Color cable: black
- Connector 1: USB A, plug
- Connector surface: nickel-plated
- Hoods: Metallic housing
- Wire material: CU
- Length: 0.15 m
- Shielding: Unshielded
- USB-C Products: yes

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	40	7.50	29.00	55.00	20.00	31,900.00
Packaging Unit Inside	10	1.88	26.50	27.50	9.00	6,558.75
Packaging Unit Single	1	0.19	5.50	23.50	2.00	258.50
Net single without Packaging	1	0.02	46.80	15.00	0.30	0.00

More images:



Safety notes

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com