

DIGITUS® Switch Gigabit de 24 portas, 19 polegadas, gerido, 2 uplinks

DN-80221-3

EAN 4016032467687



Comutador Gigabit Layer 2 de 24 portas 24 portas + 2 portas combinadas e 2 portas de ligação ascendente SFP

Os comutadores DIGITUS® Gigabit Ethernet Layer 2 com 24 portas Gigabit RJ45 e 4 portas de ligação ascendente foram concebidos para sistemas de rede médios a grandes. Para as portas de ligação ascendente, pode optar por 2 portas combinadas SFP/RJ45 e 2 portas de ligação ascendente SFP puras. As funcionalidades inteligentes, que são ideais para aplicações QoS/CoS simples, e a opção de montagem de 19" permitem uma integração simples na sua rede. Estes switches são uma boa escolha para melhorar o desempenho e a eficiência da sua rede.

A mais elevada largura de banda e desempenho para requisitos profissionais. Óptimas opções de gestão através da interface do utilizador.

- 24 x portas RJ45 (1000Mbps)
- 2 x portas combinadas RJ45/ SFP para ligação de fibra ótica ou Ethernet
- 2 x portas de ligação ascendente SFP para módulos SFP
- 1 x porta de consola RJ45
- Compatível com as normas: IEEE 802.3, 802.3u, 802.3ab, 802.3x, 802.3z e 802.3ad - Função Auto MDI/MDI-X
- 8K endereços MAC
- Suporte QoS para classificação da camada 4
- Espelhamento de portas para uma monitorização eficiente da rede
- Porta tronco para expansão da largura de banda
- VLAN para desempenho e segurança

- Autenticação de porta 802.1x
- Gestão de rede SNMP
- Gestão integrada baseada na Web
- Proteção contra sobretensão +/- 6 kV
- Dimensões: 440 x 208 x 44 mm (LxPxA)
- Fonte de alimentação: 100 - 240V AC
- Consumo de energia: 115V 60Hz 6.28W , 230V 50Hz 6.33W

Attributes


- Number of ports: 24
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: 19 inch, Desktop
- Managed: yes
- Number of ports (Uplink): 4
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- Uplink port connection: RJ45/SFP
- VLAN: yes

Package contents

- 1 x switch Gigabit Ethernet Layer 2, 24 portas
- 1 x acessórios de montagem para montagem de 19"
- 1 x cabo de alimentação
- 1 x QIG

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	3	6.44	58.00	38.00	31.50	69,426.00
Packaging Unit Inside	1	2.15	56.20	30.00	9.00	15,174.00
Packaging Unit Single	1	2.15	56.20	30.00	9.00	15,174.00
Net single without Packaging	1	0.00	21.00	4.40	44.00	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com