

DIGITUS 5 Port Gigabit Switch, Unmanaged

DN-80202-1
EAN 4016032492900



5 port Gigabit Network Switch, Desktop, Metall Housing

The 5-Port Gigabit Switch from DIGITUS® is perfectly suited for the easy expansion of your network. Thanks to its fanless design, the switch operates completely noise-free and does not require configuration. Each port can be used as a LAN or uplink port, the cable and network speed are detected automatically. The switch also supports the energy saving features IEEE802.3az & Full-Duplex Flow Control IEEE802.3x. Real Plug and Play – just plug in the network cable and get started.

Fast and easy expansion of your network - Plug and Play

- Number of ports: 5 x 10/100/1000 Mbps
- Ethernet standards: IEEE802.3 / 802.3u / 802.3ab / 802.3az
- IEEE 802.3x full-duplex flow control
- Backplane: 10 Gbps
- MAC address table: 2K
- Forwarding rate: 148800 pps per port (1000BASE-TX)
- Data transmission rate: 7.44 Mbps
- Auto-MDI/MDIX function
- Transfer method: Store & Forward
- LED indicators: Power, Link/Act
- Power consumption: 3W max
- Operating temperature: 0 °C to +40 °C
- Storage temperature: -10 °C to +70 °C
- Operating humidity: 10% - 90% RH (non-condensing)

- Input voltage external power adapter: 100 - 240 V AC, 50/60 Hz
- Input voltage switch: 5 V DC, 1 A
- Power supply of power adapter: Euro plug Type C (CEE 7/16)
- Plug type device side: Coaxial plug 5.5 mm/2.1 mm
- Power input at device: 5.5 mm jack for coaxial plug
- Dimensions (L x W x H): 92 mm x 69 mm x 25 mm
- Weight: 180 g
- Color: Black

Attributes

- Number of ports: 5
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: Desktop
- Managed: no
- Number of ports (Uplink): 0
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- VLAN: no

Package contents

- 1 x 5 Port Gigabit Switch, Unmanaged
- 4 x Rubber feet
- 1 x QIG

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	8.50	41.50	30.50	40.00	50,630.00
Packaging Unit Inside	1	0.43	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.43	7.00	14.00	18.90	1,852.20
Net single without Packaging	1	0.17	2.50	6.90	9.20	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schöffel 3
Lüdenscheid, Germany

<https://www.assmann.com>
info@assmann.com