

DIGITUS® Switch Gigabit de 5 portas, não gerido

DN-80202-1

EAN 4016032492900



Comutador de rede gigabit de 5 portas, Secretária, caixa metálica

O comutador Gigabit de 5 portas da DIGITUS® é perfeito para a expansão descomplicada da sua rede. Graças ao seu design sem ventoinha, o comutador é completamente silencioso e não necessita de ser configurado. Cada porta pode ser utilizada como porta LAN ou uplink e o cabo e a velocidade da rede são automaticamente reconhecidos. O comutador também suporta funcionalidades de poupança de energia IEEE802.3az e controlo de fluxo Full-Duplex IEEE802.3x. Verdadeiro plug and play - ligue o cabo de rede e comece imediatamente.

Expansão rápida e fácil da sua rede - plug and play

- Número de portas: 5 x 10/100/1000 Mbps
- Normas Ethernet: IEEE802.3 / 802.3u / 802.3ab / 802.3az
- Controlo de fluxo Full-Duplex IEEE 802.3x
- Placa traseira: 10 Gbps
- Tabela de endereços MAC: 2K
- Taxa de encaminhamento: 148800 pps por porta (1000BASE-TX)
- Débito de dados: 7,44 Mbps
- Função Auto MDI/MDIX
- Método de transferência: Store & Forward
- Indicadores LED: Alimentação, Ligação/Ação
- Consumo de energia: 5W máx.
- Temperatura de funcionamento: 0°C a 40°C
- Temperatura de armazenamento: -10°C a 70°C
- Humidade de funcionamento: 10% - 90% HR (sem condensação)
- Tensão de entrada da fonte de alimentação externa: 100 - 240V AC 50/60Hz

- Interruptor de tensão de entrada: DC 5 V / 1 A
- Alimentação eléctrica da unidade de alimentação: Ficha Euro tipo C (CEE 7/16)
- Tipo de ficha do lado do dispositivo: ficha oca 5,5 x 2,1 mm
- Eléctrodo da ficha DC: Interior (+), Exterior (-)
- Entrada de rede no dispositivo: tomada de 5,5 mm para conetor de barril
- Dimensões (C x L x A): 92 mm x 69 mm x 25 mm
- Peso: 180 g
- Cor: preto

Attributes

- Number of ports: 5
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: Desktop
- Managed: no
- Number of ports (Uplink): 0
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- VLAN: no


Package contents

- 1 x switch Gigabit de 5 portas, não gerido
- 4 x pés de borracha
- 1 x QIG

Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	20	8.50	41.50	30.50	40.00	50,630.00
Packaging Unit Inside	1	0.43	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.43	7.00	14.00	18.90	1,852.20
Net single without Packaging	1	0.17	2.50	6.90	9.20	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com