

# DIGITUS® Switch Gigabit de 5 portas, não gerido

DN-80202-1

EAN 4016032492900



## Comutador de rede gigabit de 5 portas, Secretária, caixa metálica

O comutador Gigabit de 5 portas da DIGITUS® é perfeito para a expansão descomplicada da sua rede. Graças ao seu design sem ventoinha, o comutador é completamente silencioso e não necessita de ser configurado. Cada porta pode ser utilizada como porta LAN ou uplink e o cabo e a velocidade da rede são automaticamente reconhecidos. O comutador também suporta funcionalidades de poupança de energia IEEE802.3az e controlo de fluxo Full-Duplex IEEE802.3x. Verdadeiro plug and play - ligue o cabo de rede e comece imediatamente.

## Expansão rápida e fácil da sua rede - plug and play

- Número de portas: 5 x 10/100/1000 Mbps
- Normas Ethernet: IEEE802.3 / 802.3u / 802.3ab / 802.3az
- Controlo de fluxo Full-Duplex IEEE 802.3x
- Placa traseira: 10 Gbps
- Tabela de endereços MAC: 2K
- Taxa de encaminhamento: 148800 pps por porta (1000BASE-TX)
- Débito de dados: 7,44 Mbps
- Função Auto MDI/MDIX
- Método de transferência: Store & Forward
- Indicadores LED: Alimentação, Ligação/Ação
- Consumo de energia: 5W máx.
- Temperatura de funcionamento: 0°C a 40°C
- Temperatura de armazenamento: -10°C a 70°C
- Humidade de funcionamento: 10% - 90% HR (sem condensação)
- Tensão de entrada da fonte de alimentação externa: 100 - 240V AC 50/60Hz

- Interruptor de tensão de entrada: DC 5 V / 1 A
- Alimentação eléctrica da unidade de alimentação: Ficha Euro tipo C (CEE 7/16)
- Tipo de ficha do lado do dispositivo: ficha oca 5,5 x 2,1 mm
- Eléctrodo da ficha DC: Interior (+), Exterior (-)
- Entrada de rede no dispositivo: tomada de 5,5 mm para conetor de barril
- Dimensões (C x L x A): 92 mm x 69 mm x 25 mm
- Peso: 180 g
- Cor: preto

## Attributes

- Number of ports: 5
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: Desktop
- Managed: no
- Number of ports (Uplink): 0
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- VLAN: no



## Package contents

- 1 x switch Gigabit de 5 portas, não gerido
- 4 x pés de borracha
- 1 x QIG

## Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	20	8.50	41.50	30.50	40.00	50,630.00
Packaging Unit Inside	1	0.43	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.43	7.00	14.00	18.90	1,852.20
Net single without Packaging	1	0.17	2.50	6.90	9.20	0.00

**More images:**



**Safety notes**

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)