

DIGITUS® Repartidor Gigabit Ethernet PoE, 802.3bt, 51 W

DN-95211

EAN 4016032495406



Repartidor Gigabit Ethernet PoE, 802.3af/at/bt Tensão de saída: 12V/4.2A, 24V/2.1A, 51W

O repartidor PoE fornece dados e energia através de um único cabo Ethernet a dispositivos que não suportam Power over Ethernet. Basta ligar a entrada do repartidor a um interruptor PoE ou injetor PoE e o lado de saída a um dispositivo de rede não PoE, como um ponto de acesso, telefone IP ou câmara, para fornecer energia e dados. O extensor é auto-alimentado através de PoE, pelo que não é necessária qualquer fonte de alimentação adicional. A tensão de saída pode ser regulada para 12V ou 24V através de um interruptor dip. Assim, este repartidor estende a sua rede onde quer que queira colocar dispositivos de rede para os quais não existem tomadas eléctricas disponíveis.

O repartidor PoE fornece dados e energia a dispositivos com um máximo de 51 W através de um único cabo Ethernet.

- Velocidade Ethernet: 10/100/1000Mbps Gigabit half/full duplex
- Norma PoE: IEEE802.3af/bt
- Entrada: Alimentação + entrada de dados (RJ45)
- Saída: Saída de dados (RJ45), saída DC
- Instalação plug-and-play - não é necessária configuração
- Tensões de saída seleccionáveis: 12V/4,25A, 24V/2,125A
- Divide a alimentação de 48VDC em diferentes saídas DC através de um cabo Ethernet RJ45

- LED de estado no dispositivo (PoE pronto/PoE em funcionamento)
- Protecção através do isolamento do circuito
- Potência máxima de saída até 51W
- Suporta uma vasta gama de tensões de entrada de 36VDC a 57VDC
- Suporta ligações DC de 5,5 mm e 3,5 mm
- Encerramento térmico
- Temperatura de funcionamento: 0 a 40°C
- Dimensões (C x L x A): 80 x 55 x 23 mm
- Cor: preto
- Peso: 80g
- Suporta ligações de 5,5 mm e 3,5 mm

Attributes

- Number of ports: 1
- PoE standard: IEEE802.3bt (PoE++)
- Ethernet speed: Gigabit
- Industrial usage: no

Package contents

- 1x distribuidor Gigabit PoE
- 1x QIG
- 1x cabo Ethernet RJ45
- 1x cabo de alimentação DC

Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	100	15.51	31.70	27.80	54.50	48,028.70
Packaging Unit Inside	1	0.16	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.16	2.50	10.50	15.00	393.75
Net single without Packaging	1	0.09	2.40	5.40	8.00	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
 - The mains cable, power supply unit or plug for the power supply is damaged or worn;
 - Liquid has penetrated the appliance;
 - The device has been exposed to rain or water;
 - The device has been dropped or the housing has been damaged;
 - The function of the device has obviously changed;
 - The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com