

DIGITUS® Switch Gigabit de 24 portas, 19 polegadas, não gerido

DN-80113-2

EAN 4016032498506



Interruptor Gigabit de 24 portas DIGITUS 24 portas 10/100/1000Base-T

O comutador não gerido Digitus DN-80113-2 com 24 portas RJ45 é uma solução de rede avançada que satisfaz os requisitos exigentes das pequenas e médias empresas. Este potente comutador proporciona uma experiência de rede perfeita e segura e garante uma transmissão de dados fiável e eficiente na sua infraestrutura de rede. Com características robustas e tecnologia superior, o DN-80113-2 é o complemento perfeito para qualquer rede moderna.

O switch não gerido DN-80113-2 de 24 portas é a escolha ideal para organizações que procuram uma solução de rede fiável e de elevado desempenho com funcionalidades avançadas e segurança robusta.

- Interface: 24 x 10/100/1000Mbps porta RJ45
- Normas: IEEE802.3, IEEE802.3i, IEEE802.3u, IEEE802.3x, IEEE802.3ab
- Meios de rede: 10BASE-TX: cabo UTP de categoria 3,4,5 (100m) 100BASE-TX: cabo UTP de categoria 5, 5e (100m) 1000BASE-TX: cabo UTP de categoria 5e, 6 (100m)
- Ecrã: PWR (verde), LNK/ACT (verde)
- Tabela de endereços MAC: 8K, função de aprendizagem e atualização automáticas
- Jumbo frame: 15KBytes
- Buffer: 4Mbit, Modo de transmissão: Armazenar e encaminhar, Taxa de encaminhamento de pacotes: 35.71Mpps, Largura de banda: 48Gbps

- Tensão de entrada: AC: 100~240V, 50/60Hz
- Ventoinha: Sem ventoinha
- Temperatura de funcionamento: 0°C ~ 40°C Temperatura de armazenamento: -40°C ~ 70°C Humidade de funcionamento: 10% ~ 90% HR sem condensação Humidade de armazenamento: 5% ~ 90% HR sem condensação
- Proteção contra sobretensões: modo diferencial ±2KV, modo comum ±4KV Norma eletrostática: contacto ±6KV, ar ±8KV MTBF: >100000 horas

Attributes

- Cascading possible: no
- Industrial usage: no
- Managed: no
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- VLAN: no

Package contents

- 1 x cabo de alimentação
- 4 x pés
- 1 x kit de montagem em bastidor
- 8 x parafusos
- 1 x manual do utilizador

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	11.30	42.60	38.30	26.00	42,421.10
Packaging Unit Inside	1	2.26	0.00	0.00	0.00	0.00
Packaging Unit Single	1	2.26	37.00	23.00	8.00	6,808.00
Net single without Packaging	1	1.47	28.00	18.00	4.40	0.00

More images:**Safety notes**

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
 - The mains cable, power supply unit or plug for the power supply is damaged or worn;
 - Liquid has penetrated the appliance;
 - The device has been exposed to rain or water;
 - The device has been dropped or the housing has been damaged;
 - The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com