

# DIGITUS® Gigabit Ethernet PoE+ injector, 802.3af, 30 W

DN-95103-3

EAN 4016032500780



### Gigabit Ethernet PoE+ Injector, 802.3af Power Pins:4/5(+),7/8(-), 30W

The PoE injector is the ideal solution for expanding your network in locations without a power connection. Fully compatible with the IEEE 802.3af/at standards, it is perfect for power supply and data transmission for PoE-capable devices such as access points (AP), IP cameras, IP telephones or PoE receivers. Thanks to its powerful features, the PoE injector ensures a stable and reliable connection without the need for additional configurations. An elegant design and robust protection mechanisms make it the first choice for demanding applications.

**With the PoE Injector, you benefit from a powerful and reliable network extension - wherever power sources are lacking.**

- Connections: OUT: 1x 10/100/1000Mbps RJ45, IN: 1x 10/100/1000Mbps RJ45
- PoE standard: IEEE802.3af/at
- Network cable: 10BASE-T: UTP category 3, 5 (up to 100m), 100BASE-TX: UTP category 5, 5e (up to 100m), 1000BASE-T: UTP category 5e, 6 (up to 100m)

- Transmission range up to 100 m - with DN-95129 PoE extender even up to 800 m
- PoE power: Up to 30W
- Input voltage: AC 100-240V 50/60Hz 0.6A max
- LED display: PoE status (green)
- Dimensions: 142 x 60 x 32 mm
- Operating temperature: 0°C to 40°C
- Storage temperature: -40°C to 70°C

#### Attributes



- Broj priključaka: 2
- PoE norma: IEEE802.3af (PoE+)
- PoE potrošnja energije: 30 W
- Ethernet brzina: Gigabit
- Industrijska uporaba: Ne

#### Package contents

- PoE injector
- Quick installation guide
- Mains cable

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	20	9.70	40.50	33.00	35.50	47,445.80
Packaging Unit Inside	1	0.49	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.49	19.20	16.50	6.00	1,900.80
Net single without Packaging	1	0.18	14.00	6.00	3.50	0.00

More images:



**Safety notes**

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair

- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)