

DIGITUS USB GaN Charger 45W, 1x USB-C, 1x USB-A

DA-10302
EAN 4016032505822



USB GaN Charger, 45W 1x USB-C, 1x USB-A, White

With the DIGITUS USB GaN II Charger 45W you can charge your devices faster, safer and more space-saving than ever before. Thanks to modern GaN II technology (Gallium Nitride), this charger provides enough power to reliably supply not only smartphones and tablets, but also lightweight laptops with energy. The powerful USB-C port provides up to 45 watts, while the USB-A port delivers up to 22.5 watts. This allows you to flexibly connect different devices and even charge two devices at the same time - perfect for everyday use, in the office or on the go. Even when used in parallel, the intelligent power distribution ensures safe operation with 25 watts (USB-C) and 18 watts (USB-A). The compact design saves space in your bag and makes the charger the ideal companion in all situations. Another highlight: the housing is made from 98% recycled PCR material (post consumer recycling) and the packaging is 100% plastic-free - a sustainable contribution to environmental protection without compromising on quality or durability. With universal compatibility, intelligent power adjustment and sophisticated safety architecture, this charger is the smart choice for anyone who wants to combine performance and sustainability in one device.

The USB GaN II Charger 45W offers enough power to charge smartphones, tablets and even light laptops reliably and quickly - compact, efficient and perfect for any journey.

- Maximum power with single connection: USB-C max. 45W, USB-A max. 22.5W
- Multi-device charging (2 port) USB-C + USB-A: 25W max. + 18W max.
- Gan II technology (gallium nitride) for high efficiency, low heat generation and compact design
- Plastic housing made from 98% recycled PCR material
- Plastic-free packaging
- Protection against overcurrent, short circuits and overheating
- Input voltage/rated current/frequency: 100-240V / 1.3A / 50/60Hz
- Average active efficiency: 81.7 %
- Power consumption in standby: 0.29W
- Product color: White
- Dimensions: 3.8 x 8.6 x 3.15 cm
- Weight: 89,5 g

Attributes


- Style: Charger/Power supply

Package contents

- USB charger
- Operating instructions

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	40	6.00	32.00	44.00	25.00	35,200.00
Packaging Unit Inside	20	3.00	20.00	30.00	23.00	13,800.00
Packaging Unit Single	1	0.15	9.00	16.50	3.80	564.30
Net single without Packaging	1	0.90	8.90	3.40	3.50	0.00

More images:



Safety notes

- Use charging adapters or power supply units in accordance with the instructions in the operating instructions to ensure optimum performance.
- Connect the charging adapter to an easily accessible socket in the voltage range between 100-240 V AC.
- Disconnect the charging adapter from the socket after use.
- Do not use the charging adapter with electronic devices that are outside the specifications of the charging adapter.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.

- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH

Auf dem Schüffel 3

Lüdenscheid, Germany

<https://www.assmann.com>

info@assmann.com