

DIGITUS® 10" 2.5G 8-Port Unmanaged PoE+ Switch with 1× 10G SFP+

DN-95333

EAN 4016032508762



10 inch 8-Port 2.5G Unmanaged PoE+ Switch 80 W, 1x 10G SFP+

The DIGITUS® DN-95333 combines eight 2.5-Gigabit PoE+ ports with a 10G SFP+ uplink in a space-saving 10-inch form factor. Each port delivers up to 30 W (IEEE 802.3af/at) with a total PoE budget of 80 W—enough to power multiple Wi-Fi 6/7 access points or PTZ cameras simultaneously. The 10G uplink ensures a smooth data flow to the backbone even at full port utilization. The fanless metal enclosure operates silently and reliably 24/7—ideal for offices, equipment rooms, and retail environments. This makes the DN-95333 the top choice for high-performance Wi-Fi and video surveillance installations in a compact 10-inch form factor.

Provides multi-gigabit speeds to many PoE devices and reliably connects them to the core network via 10G.

- Network & Performance
- 8× 10/100/1000/2500 Mbps RJ45 (PoE+)
- 1× 10 Gbps SFP+ uplink
- PoE Standards: IEEE 802.3af/at, 30 W per port, 80 W total
- PoE Pinout: Pin 1/2 V-, Pin 3/6 V+
- Switching capacity: 60 Gbps, forwarding: 44.64 Mpps
- Jumbo frames up to 12 KB, MAC table: 4K
- Packet Buffer: 8 Mbit, Store-and-Forward
- Design & Installation
- Completely fanless
- Metal housing
- 10-inch rack-mount

- Dimensions: 252 × 150 × 44 mm, Weight: approx. 2.5 kg
- Electrical Systems & Environment
- Internal power supply, 100–240 V AC
- Power consumption: 95 W
- Operating temperature: 0–40 °C; storage temperature: –10–70 °C
- Humidity: 5–95%, non-condensing

Attributes

- Number of ports: 8
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: 10 inch, Desktop
- Managed: no
- Number of ports (Uplink): 2
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vandalism: no
- Uplink port connection: SFP
- VLAN: no



Package contents

- DN-95333 Switch
- Power cable
- Quick Start Guide
- Rubber feet

Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	8	13.80	49.00	33.50	27.00	44,320.50
Packaging Unit Inside	1	1.73	0.00	0.00	0.00	0.00
Packaging Unit Single	1	1.73	31.50	6.00	23.60	4,460.40
Net single without Packaging	1	1.14	25.20	4.30	15.00	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH

Auf dem Schüffel 3

Lüdenscheid, Germany

<https://www.assmann.com>

info@assmann.com