

# ednet Audio adapter cable, 3.5mm stereo

84542

EAN 4054007845429



**Audio connection cable, stereo 3.5mm -2x RCA M/M, 2.5m, CCS, shielded, cotton, gold, si/bl**

3.5 mm stereo cable for connection of e.g. MP3 player or smartphone to the RCA interface of your HiFi system.

**High sound pleasure with stylish design**

- 3.5 mm stereo plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded

**Attributes**

- Assortment: Audio Cables
- AWG: 28
- Color cable: black
- Color connector: silver
- Connector 1: 3.5mm stereo plug
- Connector 2: 2x RCA plug
- Connector surface: gold-plated
- Hoods: molded
- Wire material: CCS
- Length: 2.5 m
- Shielding: single shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	40	6.90	56.00	29.00	39.00	63,336.00
Packaging Unit Inside	10	1.73	27.00	27.00	17.00	12,393.00
Packaging Unit Single	1	0.17	5.00	7.50	23.50	881.25
Net single without Packaging	1	0.17	3.00	6.00	20.00	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.

- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)