

DIGITUS® USB 3.0 Active Extension Cable

DA-73104

EAN 4016032326229



USB 3.0 Repeater Cable A/M - A/F, AWG28 24 length: 5m, Chipset SN65LVPE502, UL, CE, bi

Everyone knows the problem, when a printer or other USB devices are further away from the PC, as actually possible. By the Digitus USB 3.0 active extension cable, this problem will be solved in a simple way. Through the 5 meter cable, you can connect your faraway USB devices and thanks to the data transfer rate up to 5 Gbps you don't notice any speed problems.

The solution to use USB peripherals far away from your computer!

- 5 meter USB 3.0 extension cable
- Extends maximum USB cable length permitted by 5.0m
- USB A male to USB A female, cable length 5.0m
- Data transfer rates: up to 5 Gbps (USB 3.0, super speed)


- Plug & Play
- Compliant to the USB 3.0 specification, down compatible to USB 2.0/1.1
- Supports USB low speed (1.5Mbps), full speed (12Mbps), high speed (480Mbps) and super speed (5Gbps).
- AWG 28/24
- UL 20726
- Chipset: SN65LVPE502
- Supports Windows 2000/XP/Vista/7/8, Mac OS v9.0 or higher

Package contents

- USB 3.0 extension cable, 5 m
- QIG (quick installation guide)

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	30	10.10	50.00	32.30	47.60	76.87
Packaging Unit Inside	1	0.34	23.50	15.00	6.00	2.12
Packaging Unit Single	1	0.34	23.50	15.00	6.00	2.12
Net single without Packaging	0	0.21	14.00	13.00	4.00	728.00

More images:



Safety notes

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com