

DIGITUS 4-Port Universal USB Charging Adapter, USB Type-C™

DA-10195

EAN 4016032448105



4-Port USB Charger, 72W, 1xUSB-C (Power Delivery), 5,9,15,20V/3A, 3x USB-A 5V/2.4A, black

The Digitus® 4-Port USB Charging Adapter, USB Type-C™ is the universal charging station for all your devices. The USB-C charging port (max. 5-20V/3A/60W) with Power Delivery (PD) 2.0 functionality is used to quickly and efficiently recharge ultrabooks, laptops, tablets, smartphones, mobile game consoles, etc. Use three USB-A charging ports (total: 5V/2.4A, each of which can deliver max. 5V/2.4A) to charge any kind of mobile devices such as smartphones, tablets, power banks, speakers, etc. The total output power is 72W.

Universal charging station for all your devices (laptop, ultrabook, convertible, tablet, smartphone, etc.)

- 1x USB-C charging port (max. DC 5-20V, 3A, 60W) for charging a laptop, tablet, smartphone, etc.
- 3x USB-A charging ports (total: max. DC 5V, 2.4A, each port: DC 5V, 2.4A max.) for charging a tablet, smartphone, speaker, power bank, etc.
- Total output power: 72W max.

- Power Delivery (PD) 2.0
- Input: AC 100-240V, 50/60 Hz
- Overvoltage and short circuit protection
- Overcurrent and overheating protection
- EU mains plug
- Cable length: 1.20 m
- Ultra compact - perfect for traveling, at home or on the go
- Dimensions: L 9.0 x W 7.5 x H 2.75 cm
- Weight: 220 g
- Color: black

Attributes

- Style: Charger/Power supply
- Type: Notebook
- USB-C Products: yes

Package contents

- 4-Port Universal USB Charging Adapter, USB Type-C™
- AC power cord
- User manual

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	40	16.50	38.00	37.00	30.00	42.18
Packaging Unit Inside	1	0.41	14.00	13.60	3.50	666.40
Packaging Unit Single	1	0.41	14.00	13.60	3.50	666.40
Net single without Packaging	0	0.30	9.10	7.50	2.75	187.69

More images:



Safety notes

- Use charging adapters or power supply units in accordance with the instructions in the operating instructions to ensure optimum performance.
- Connect the charging adapter to an easily accessible socket in the voltage range between 100-240 V AC.
- Disconnect the charging adapter from the socket after use.
- Do not use the charging adapter with electronic devices that are outside the specifications of the charging adapter.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com