


NOCTUA Noctua NH-D9DX i4 3U

NOC-NH-D9DX-I4-3U
EAN 4716123315599



Noctua's DX line of coolers has become a default choice in high performance quiet cooling solutions for Intel Xeon CPUs. The i4 revision supports LGA2011 (both Square ILM and Narrow ILM), LGA1356 and LGA1366 based Xeon platforms and the new D9 model provides better performance and better compatibility than previous 9cm versions: Thanks to its 95x95mm footprint and reduced 110mm height, the NH-D9DX i4 is fully 3U compliant and clears the RAM slots on LGA2011 Square ILM and LGA13xx. At the same time, the dual tower design and the new NF-A9 PWM guarantee further improved quiet cooling performance. Fitted with the professional SecuFirm2™ mounting system and bundled with Noctua's industrial-grade NT-H1 thermal compound, the NH-D9DX i4 3U forms a complete premium quality package for quietly cooling Xeon based workstations and servers. Scope of Delivery NF-A9 PWM premium fan Low-Noise Adaptor (L.N.A.) NT-H1 high-grade thermal compound SecuFirm2™ Mounting Kit Fan-clips for second NF-A9 Fan specifications Model: Noctua NF-A9 PWM Bearing: SSO2 Max. Rotational Speed (+/- 10%): 2000 RPM Max. Rotational Speed with L.N.A. (+/- 10%): 1550 RPM Min.

Rotational Speed (PWM, +/-20%): 400 RPM Max. Airflow: 78,9 m³/h Max. Airflow with L.N.A.: 62,6 m³/h Max. Acoustical Noise: 22,8 dB(A) Max. Acoustical Noise with L.N.A.: 16,3 dB(A) Input Power: 1,2 W Voltage Range: 12 V MTBF: > 150.000 h

- Socket compatibility: Intel LGA2066, LGA2011-0 & LGA2011-3 (Square ILM & Narrow ILM), LGA1356, LGA1366 (with Xeon backplate)
- Height (without fan): 110 mm
- Width (without fan): 95 mm
- Depth (without fan): 95 mm
- Height (with fan): 110 mm
- Width (with fan): 95 mm
- Depth (with fan): 95 mm
- Weight (without fan): 428 g
- Weight (with fan): 531 g
- Material: Copper (base and heat-pipes), aluminium (cooling fins), soldered joints & nickel plating
- Fan compatibility: 92x92x25

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	12	14.38	0.00	0.00	0.00	0.00
Packaging Unit Inside	1	1.20	0.00	0.00	0.00	0.00
Packaging Unit Single	1	1.20	0.00	0.00	0.00	0.00
Net single without Packaging	0	0.00	0.00	0.00	0.00	0.00

More images:



EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

Rascom Computerdistribution Ges.m.b.H.

Linzer Straße 237

Wien, Austria

<https://noctua.at>

info@rascom.at