

# NOCTUA NOCTUA NF-P12 REDUX-1300 PWM

NOC-NF-P12-REDUX-PWM  
EAN 9010018100358



Specifically designed for pressure demanding applications such as CPU or radiator cooling, the classic NF-P12 is a long-standing favourite among enthusiast users around the world and helped to found Noctua's reputation as a top-tier manufacturer of premium quality quiet cooling components. The new redux edition reissues this award-winning model in a streamlined, accessibly priced package that has been reduced to the essential core: the NF-P12 premium fan. Its industry grade SSO bearing, over 150.000 hours MTTF rating and full 6 years manufacturer's warranty make the NF-P12 redux a proven premium choice that provides trusted Noctua quality at an attractive price point. The 1300rpm PWM version features Noctua's proprietary NE-FD1 PWM IC for automatic speed control, which allows to strike a perfect balance between high cooling capacity and low noise operation in each given situation.

- Size: 120x120x25 mm
- Mounting hole spacing: 105x105 mm

- Connector & pin-configuration: 4-pin PWM
- Cable length: 40cm
- Bearing: SSO-Bearing
- Blade geometry: Pressure-optimized Nine Blade Design with Vortex-Control Notches
- Rotational speed (+/- 10%): 1300 RPM
- Min. rotational speed (PWM, +/-20%): 300 RPM
- Airflow: 92,3 m³/h
- Acoustical noise: 19,8 dB(A)
- Static pressure: 1,68 mm H2O
- Max. input power: 0,6 W
- Max. input current: 0,05 A
- Operating voltage: 12 V
- MTTF: > 150.000 h

#### Package contents

- Fan screws

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	3.90	0.00	0.00	0.00	0.00
Packaging Unit Inside	1	0.20	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.20	0.00	0.00	0.00	0.00
Net single without Packaging	0	0.00	0.00	0.00	0.00	0.00

#### More images:



---

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

Rascom Computerdistribution Ges.m.b.H.

Linzer Straße 237

Wien, Austria

<https://noctua.at>

[info@rascom.at](mailto:info@rascom.at)