

DIGITUS® mini GBIC (SFP) Module, 10Gbps, 0.3km, with DDM Feature

DN-81200

EAN 4016032324133



10G SFP+ Module, Multimode, DDM LC Duplex Connector, 850nm, up to 300m

The DIGITUS® mini GBIC (SFP) transceiver modules offer highest quality and reliability. Whether from switch to switch, converter to switch, converter to converter or any else application: The wide product range of DIGITUS® modules makes possible a flexible usage of the fiber technology. The conformity to the MSA (Multi Source Agreement) standard ensures a compatibility to third party manufacturers.

The plug and play fiber connection

- Mini GBIC SFP (Small Form Factor Pluggable) module
- Compatible with the following manufacturers: Allied Telesis, Allnet, Avaya, CISCO, D-Link, Edimax, FINISAR, FORCE 10, Gigamon, Intellinet, KTI Networks, Level One, PLANET, Tenda, TP-Link, TRENDnet, Mikrotik, ENTERASYS, RIVERSTONE, Unifi, Ubiquiti, ZyXEL, ZTE
- Supports DDM (Digital Diagnostic Monitoring)
- High quality and excellent reliability
- 10 Gbps Maximum Data Rate
- Compliant to IEEE802.3ae 10 Gigabit Standard
- Class 1 laser product compliant with EN 60825-1
- Easy plug-and-play installation

- MSA (Multi Source Agreement) compliant
- Hot pluggable
- Connector: 1x LC Duplex
- Wavelength: 850nm
- Transmission Power: Minimum -5 dBm, Maximum -1 dBm
- Empfangssensitivität: Minimum -11,5 dBm
- For a distance of up to 0.3km
- Safe fast-locking mechanism
- 3.3V power supply
- Operating temperature: 0 °C ~ 70 °C

Attributes

- Mode: Multimode
- Connector: LC
- Distance (km): 0.3
- Wavelength: 850 nm
- DDM Support: yes
- Broadcasting Mode: Unidirectional
- Manufacturer compatibility: Cisco
- Ethernet speed: 10 Gigabit

Package contents

- SFP module

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	20	0.80	41.00	26.00	16.00	17,056.00
Packaging Unit Inside	1	0.04	3.00	11.50	9.00	310.50
Packaging Unit Single	1	0.04	3.00	11.50	9.00	310.50
Net single without Packaging	0	0.03	5.50	1.20	0.80	5.28

More images:

SFP Module	Data Rate	Speed	Distance	Connector	Wavelength	Operating Temperature	Reliability Feature
DS-SFP01	1000Base-SX	1000 Mbps	100m	LC	850nm	0 to 70 °C	
DS-SFP02	1000Base-LX	1000 Mbps	10km	LC	1310nm	0 to 70 °C	
DS-SFP03	1000Base-ER	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP04	1000Base-ZX	1000 Mbps	70km	LC	1550nm	0 to 70 °C	
DS-SFP05	1000Base-R	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP06	1000Base-PLX	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP07	1000Base-PLM	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP08	1000Base-PLN	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP09	1000Base-PLK	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP10	1000Base-PLJ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP11	1000Base-PLI	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP12	1000Base-PLH	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP13	1000Base-PLG	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP14	1000Base-PLF	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP15	1000Base-PLD	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP16	1000Base-PLC	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP17	1000Base-PLB	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP18	1000Base-PLA	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP19	1000Base-PLZ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP20	1000Base-PLY	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP21	1000Base-PLX	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP22	1000Base-PLW	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP23	1000Base-PLV	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP24	1000Base-PLU	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP25	1000Base-PLT	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP26	1000Base-PLS	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP27	1000Base-PLR	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP28	1000Base-PLQ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP29	1000Base-PLP	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP30	1000Base-PLO	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP31	1000Base-PLN	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP32	1000Base-PLM	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP33	1000Base-PLK	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP34	1000Base-PLJ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP35	1000Base-PLI	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP36	1000Base-PLH	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP37	1000Base-PLG	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP38	1000Base-PLF	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP39	1000Base-PLD	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP40	1000Base-PLC	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP41	1000Base-PLB	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP42	1000Base-PLA	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP43	1000Base-PLZ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP44	1000Base-PLY	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP45	1000Base-PLX	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP46	1000Base-PLW	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP47	1000Base-PLV	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP48	1000Base-PLU	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP49	1000Base-PLT	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP50	1000Base-PLS	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP51	1000Base-PLR	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP52	1000Base-PLQ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP53	1000Base-PLP	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP54	1000Base-PLO	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP55	1000Base-PLN	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP56	1000Base-PLM	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP57	1000Base-PLK	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP58	1000Base-PLJ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP59	1000Base-PLI	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP60	1000Base-PLH	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP61	1000Base-PLG	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP62	1000Base-PLF	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP63	1000Base-PLD	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP64	1000Base-PLC	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP65	1000Base-PLB	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP66	1000Base-PLA	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP67	1000Base-PLZ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP68	1000Base-PLY	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP69	1000Base-PLX	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP70	1000Base-PLW	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP71	1000Base-PLV	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP72	1000Base-PLU	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP73	1000Base-PLT	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP74	1000Base-PLS	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP75	1000Base-PLR	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP76	1000Base-PLQ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP77	1000Base-PLP	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP78	1000Base-PLO	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP79	1000Base-PLN	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP80	1000Base-PLM	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP81	1000Base-PLK	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP82	1000Base-PLJ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP83	1000Base-PLI	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP84	1000Base-PLH	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP85	1000Base-PLG	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP86	1000Base-PLF	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP87	1000Base-PLD	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP88	1000Base-PLC	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP89	1000Base-PLB	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP90	1000Base-PLA	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP91	1000Base-PLZ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP92	1000Base-PLY	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP93	1000Base-PLX	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP94	1000Base-PLW	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP95	1000Base-PLV	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP96	1000Base-PLU	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP97	1000Base-PLT	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP98	1000Base-PLS	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP99	1000Base-PLR	1000 Mbps	10km	LC	1550nm	0 to 70 °C	
DS-SFP100	1000Base-PLQ	1000 Mbps	10km	LC	1550nm	0 to 70 °C	

