

# DIGITUS® HDMI High Speed connection cable, with amplifier

AK-330105-300-S  
EAN 4016032295839



### HDMI High Speed Connection Cable, Type A, w/amp. M/M, 30.0m, Full HD, gold, bl

This Full HD (1080p) and 3D-compatible cable with active amplifier is used to connect audio/video devices, such as Blu-ray players, games consoles, etc., to a TV, monitor or PC.

#### Full HD and 3D compatible

- HDMI 1.3 feature support
- Supports up to 1080p with 60 Hz
- Supported video formats: 1080p @24 Hz, 1080p @30 or 60@Hz; 3D
- Supported audio formats: DVD-Audio, SACD, Dolby Digital Plus, TrueHD and dts-HD
- 3D support
- Important: This active HDMI cable is directional. An incorrect connection direction will result in no signal.

#### Attributes

- Assortment: HDMI Cables
- AWG: 26
- Color cable: black
- Color connector: black
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- Connector surface: gold-plated
- HDMI Standard: High Speed HDMI
- HDTV Standard: Full HD
- Hoods: molded
- Resolution max.: 1920 x 1080 Pixel, 60Hz
- Wire material: CU
- Length: 30 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	4	10.00	42.00	23.00	21.00	20.29
Packaging Unit Inside	1	2.50	20.00	19.00	11.50	4.37
Packaging Unit Single	1	2.50	20.00	19.00	11.50	4.37
Net single without Packaging	0	2.07	18.50	18.00	12.00	4.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)