

# DIGITUS® USB Type-C™ 4 port hub (USB 3.0) + PD

DA-70242-1

EAN 4016032455653



### 4-Port USB-C HUB + PD 4x USB 3.0, 1x PD Charging, silver

Extend your notebook with a USB-C™ port with this USB Type-C™ 4 port hubby four USB 3.0 ports. Use up to four other USB devices such as a mouse, a keyboard or USB sticks with your laptop. There is also a USB-C™ (PD) connection on the hub which you can use to charge your notebook. Thanks to its slim design, the Digitus USB-C™ 4 port hub is an ideal travel companion and indispensable in your home and office.

**Extend your notebook with USB-C™ port by four USB 3.0 ports + one USB-C™ port with a notebook charging function (PD) and the charging function of the USB 3.0 ports (BC) when the USB-C™ port is connected to a power supply.**

- 4 x USB 3.0 ports with charging function (BC 1.2) when a power supply is plugged into the USB-C™ PD port
- 1 x USB-C™ port with power delivery
- Chipset: VL102 + GL3510
- Material: Aluminum
- USB-C™ version: USB 3.1 (Gen. 1)
- Power delivery (PD): 3.0
- Battery charging (BC): 1.2

- Data transfer rate: up to 5 Gbps
- Compatible with the following operating systems: macOS X, Windows 7, 8, 10, Google Chrome OS
- Cable length: 20 cm
- Operation temperature: 0°C - 40°C (35°F to 100°F)
- Dimensions: L 11 x B 3.4 x H 1.2 cm
- Weight: 65 g
- Color: Silver

#### Attributes

- Number of ports: 4
- USB standard: USB 3.0 / 3.1
- USB-A (2.0) Connectors: 0
- USB-A (3.0) Connectors: 4
- USB-C Connectors: 1
- USB-C Products: yes

#### Package contents

- 1 x USB Type-C™ 4 port hub (USB 3.0) + PD
- 1 x Manual

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	94	20.04	35.00	35.00	46.00	56.35
Packaging Unit Inside	1	0.21	14.00	14.00	2.00	472.00
Packaging Unit Single	1	0.21	17.50	13.50	2.50	590.63
Net single without Packaging	0	0.07	11.00	3.40	1.20	44.88

**More images:**



**Safety notes**

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>

---

info@assmann.com