

DIGITUS® Dual card reader & hub USB-C / USB-A

DA-70886

EAN 4016032464464



Combo Card Reader Hub (USB-C+USB 3.0) 1x SD, 1x MicroSD, 1x USB 3.0, grey

The dual card reader from DIGITUS® with integrated USB hub (OTG) can be connected to a smartphone, tablet or notebook, allowing you to access inserted storage media such as USB sticks, SD or MicroSD memory cards. You can connect the device either via the USB-A (USB 3.0) or via the USB-C plug of the hub. The USB hub can be used at the same time as the memory card reader, so files can also be moved or copied between the two ports. The installation of drivers or apps is not necessary thanks to Plug and Play. Ideal for backing up vacation photos directly on site, for example, without having to use a notebook.

Easy connection of memory cards and USB sticks to your smartphone, tablet, notebook - USB-C & USB-A

- Data transfer rate USB-C connection: 480 Mbps (USB 2.0)
- Data transfer rate USB-A connection: 5 Gbps SuperSpeed (USB 3.0)
- Card reader data transfer rate: 480 Mbps (USB 2.0)
- Supports SD / MicroSD memory cards up to 2 TB
- Connection 1: USB-A (USB 3.0)
- Connection 2: USB-C (USB 2.0)

- Contacts: gold-plated 30µ
- Supported operating systems: Windows 11/10/8/7, macOS 10.2.8 or higher, iOS, Android with OTG support
- Housing: Aluminum alloy
- Dimensions: L 86.5 x W 20.5 x H 12 mm
- Weight: 28 g
- Manufacturer's instructions:
- Simultaneous use of the two card readers is not possible
- Smartphones / tablets must support OTG.

Attributes


- Number of ports: 1
- USB standard: USB 3.0 / 3.1
- USB-A (3.0) Connectors: 1
- USB-C Connectors: 1
- USB-C Products: yes

Package contents

- Dual Card Reader Hub USB-C / USB 3.0, OTG
- QIG

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	100	7.00	23.00	53.00	21.00	25.60
Packaging Unit Inside	1	0.07	10.00	10.00	1.80	180.00
Packaging Unit Single	1	0.07	10.00	10.00	1.80	180.00
Net single without Packaging	0	0.02	8.60	2.10	1.00	18.06

More images:



Safety notes

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>

info@assmann.com