

DIGITUS® Dual vertical monitor mount, 2x 32", 2x 8 kg

DA-90438

EAN 4016032481928



Universal Dual Monitor Mount, Vertical 17-32", 8 kg max. each, clamp or grommet mount

The desktop mount allows you to mount two monitors of up to 32" / 8 kg vertically, one above the other. The mount allows you to swivel, rotate and tilt the monitors. The quick-release function enables the monitors to be attached or removed quickly. The mount offers two mounting options: both table clamp and grommet bar are included.

The desktop mount offers you the option of mounting two monitors of up to 32" / 8 kg vertically, one above the other

- Suitable for (curved) monitors up to 32" / 8 kg max.
- Quick-release fastener: VESA plate can be fixed/released with a screw when mounting and dismounting
- Height-adjustable, rotate, swivel
- VESA compatibility: 75x75, 100x100
- Integrated cable management: for an organized and tidy workspace
- Monitor holder: Tilt: -45°/+45°, swivel: -45°/+45°, front panel rotatable: -180°/+180°
- Material: steel, plastic

- Surface: Powder coating
- Monitor quantity: 2
- Two mounting options: both table clamp and feed-through bar
- Color: Black, matt
- Weight: 4.2 kg
- Tested & certified ergonomic product - Certified by IGR (Institute for Health and Ergonomics)

Attributes

- Monitor weight (max.): 8 kg
- Mounting method: Clamp-mount
- Number of monitors: 2
- Size of monitors: up to 32"
- VESA mount: 75x75 mm, 100x100 mm

Package contents

- 1x universal dual monitor holder, vertical
- 1x mounting material
- 1x assembly instructions

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	4	19.50	31.50	50.50	26.00	41,359.50
Packaging Unit Inside	1	4.88	0.00	0.00	0.00	0.00
Packaging Unit Single	1	4.88	15.00	49.00	12.00	8.82
Net single without Packaging	0	4.20	15.00	11.50	99.00	17,077.50

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com