

# DIGITUS Dual vertical monitor mount, 2x 32", 2x 8 kg

DA-90438 EAN 4016032481928





# Monitor Vertical Mount 17-32", 8 kg max. each, clamp or grommet mount

The desktop mount allows you to mount two monitors of up to 32" / 8 kg vertically, one above the other. The mount allows you to swivel, rotate and tilt the monitors. The quick-release function enables the monitors to be attached or removed quickly. The mount offers two mounting options: both table clamp and grommet bar are included.

# The desktop mount offers you the option of mounting two monitors of up to 32" / 8 kg vertically, one above the other

- Suitable for (curved) monitors up to 32" / 8 kg max.
- Quick-release fastener: VESA plate can be fixed/released with a screw when mounting and dismounting
- Height-adjustable, rotate, swivel
- VESA compatibility: 75x75, 100x100
- Integrated cable management: for an organized and tidy workspace
- Monitor holder: Tilt: -45°/+45°, swivel: -45°/+45°, front panel rotatable: -180°/+180°

- · Material: steel, plastic
- Surface: Powder coating
- Monitor quantity: 2
- Two mounting options: both table clamp and feed-through bar
- Color: Black, matt
- Weight: 4.2 kg
- Tested & certified ergonomic product Certified by IGR (Institute for Health and Ergonomics)

#### **Attributes**

- Broj monitora: 2
- Način ugradnje: Ugradnja s držačem
- Težina monitora (maks.): 8 kg
- Veličine monitora: do 32"
- VESA nosač: 75x75 mm, 100x100 mm

### **Package contents**

- 1x universal dual monitor holder, vertical
- 1x mounting material
- 1x assembly instructions

| Logistics                    |                 |                |               |               |                |      |
|------------------------------|-----------------|----------------|---------------|---------------|----------------|------|
|                              | Number<br>(pcs) | Weight<br>(kg) | Depth<br>(cm) | Width<br>(cm) | Height<br>(cm) | cm³  |
| Packaging Unit Carton        | 4               | 19.50          | 31.50         | 50.50         | 26.00          | 0.00 |
| Packaging Unit Inside        | 1               | 4,875.00       | 0.00          | 0.00          | 0.00           | 0.00 |
| Packaging Unit Single        | 1               | 4,875.00       | 15.00         | 49.00         | 12.00          | 8.82 |
| Net single without Packaging | 0               | 4.20           | 15.00         | 11.50         | 99.00          | 0.00 |



#### More images:



























## Safety notes

- Please read the entire manual before starting assembly and installation. Please contact your local dealer if you have any questions about the instructions or warnings.
- · CAUTION: Use with products that exceed the permitted weight may result in damage or possible injury.
- Brackets should be fitted in accordance with the installation instructions. Incorrect installation can result in damage or injury.
- Use safety equipment and suitable tools. The product should only be installed by specialists.
- This product can be installed on timber-framed, solid concrete or stone walls.
- The load-bearing surfaces should be able to safely withstand the entire weight of appliances and all additional components.
- Only use the installation screws supplied and DO NOT TIGHTEN the screws TOO TIGHT.
- · This product contains small parts that can cause a choking hazard if swallowed. Keep these parts away from children.
- Only use this product indoors. Using the product outdoors can lead to injuries and damage.
- IMPORTANT: Before installation, please compare all components received with the components list. If parts are damaged or missing, ask your local dealer for replacement parts.
- MAINTENANCE: Check the bracket regularly for safety and stability (preferably every three months).

### EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH Auf dem Schüffel 3 Lüdenscheid, Germany https://www.assmann.com



info@assmann.com