DIGITUS® 16-Port Gigabit Switch, 19 inch, Unmanaged

DN-80112-2

EAN 4016032498490



DIGITUS 16-Port Gigabit Switch 16-port 10/100/1000Base-T

The Digitus DN-80112-2 unmanaged switch with 16 ports RJ45 ports is an advanced network solution that meets the demanding requirements of small to medium-sized businesses. This powerful switch provides a seamless and secure network experience and ensures reliable and efficient data transmission in your network infrastructure. With robust features and superior technology, the DN-80112-2 is the perfect addition to any modern network.

The DN-80112-2 16 port unmanaged switch is the ideal choice for businesses looking for a reliable, high-performance network solution with advanced features and robust security.

- Interface: 16 x 10/100/1000Mbps RJ45 ports
- Standards: IEEE802.3, IEEE802.3i, IEEE802.3u, IEEE802.3x, IEEE802.3ab
- Network media:⊠10BASE-TX: UTP category 3,4,5 cable (⊠100m)⊠100BASE-TX: UTP category 5, 5e cable (⊠100m)⊠1000BASE-TX: UTP category 5e, 6 cable (⊠100m)
- Display: PWR (green), LNK/ACT (green)
- MAC address table: 8K, automatic learning and update function
- Jumbo frame: 15KBytes
- Buffer: 4Mbit,⊠Transmission mode: Store-and-forward,⊠Packet forwarding rate: 23.81Mpps,⊠Bandwidth: 32Gbps
- Input voltage: AC: 100~240V, 50/60Hz
- Fan: Fanless
- Operating temperature: 0°C ~ 40°C⊠Storage temperature: -40°C ~ 70°C⊠Operating humidity: 10% ~ 90% RH non-condensing⊠Storage humidity: 5% ~ 90% RH non-condensing
- Overvoltage protection: differential mode ±2KV, common mode ±4KV⊠Electrostatic standard: contact ±6KV, air ±8KV⊠MTBF: >100000 hours

Attributes

- Cascading possible: no
- Number of ports: 16
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: 19 inch
- Managed: no
- Number of ports (Uplink): 0
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vanadlism: no
- VLAN: no

Package contents

- 1 x power cable
- 4 x feet
- 1 x rack mounting kit
- 8 x screws
- 1 x user manual

Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	0.70	26.00	38.30	42.60	42,421.10
Packaging Unit Inside	1	0.14	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.14	8.00	23.00	37.00	6,808.00
Net single without Packaging	0	1.46	4.40	18.00	28.00	2,217.60

More images:






Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
https://www.assmann.com
info@assmann.com