

# DIGITUS® USB to serial adapter

DA-70157

EAN 4016032307433



## USB 2.0 to serial Converter, RS485 incl. USB A Cable 80cm USB A M / USB A F

USB 2.0 to serial Converter, RS485, incl. USB A Cable 80cm USB A M / USB A F

Connects serial devices via USB port to a PC

- Easy connection of serial devices through an USB port
- Compliant with USB 2.0 specifications
- Supports RS485 serial interface

- Can be used for weather stations, set-top-boxes, motor controls, gaming consoles and much more serial devices
- Incl. USB extension cable, ca. 80cm
- Supports Windows 10, 8.1, 8, 7, Vista, XP, Mac OS X and Linux
- Data transfer rates 1Mbps and more
- Chipset: FTDI / FT232RL

### Package contents



- USB / serial adapter
- USB extension cable
- Driver CD

## Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	150	17.10	50.40	21.30	46.80	50,240.70
Packaging Unit Inside	1	0.11	18.50	8.50	2.30	361.68
Packaging Unit Single	1	0.11	18.50	8.50	2.30	361.68
Net single without Packaging	1	0.04	18.50	8.50	2.30	361.68

## More images:





### Safety notes

- Switch off the computer completely and disconnect it from the power supply before installing or removing the network card.
- Static discharge can damage the product or the PC. Take measures against static discharge (ESD) when installing the product, e.g. wear an antistatic wrist strap.
- Before installation, touch the metal surface of the PC housing or another grounded object to ground any ESD charge via the housing.
- Avoid using too much force when connecting the product to the PC.
- Please ensure that any cables are connected correctly without overstretching or damaging them.
- Avoid touching the contacts of the product with your fingers to prevent corrosion or static charge.

### EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)