

# DIGITUS Audio Connection Cable, Stereo

AK-510100-015-S  
EAN 4016032324973



## Audio connection cable, stereo 3.5mm 1.50m, BC, 2x0.10/10, M/M, black

3.5 mm stereo cable for connection of e.g. MP3 player or smart phone to the HiFi-System or the stereo interface of your car-radio.

- 3.5mm plug <=> 3.5mm plug
- Molded housing
- BC wires
- Color: Black



### Attributes

- Assortment: Audio Cables
- AWG: 28
- Color cable: black
- Color connector: black
- Connector 1: 3.5mm stereo plug
- Connector 2: 3.5mm stereo plug
- Hoods: molded
- Packaging: Polybag
- Wire material: BC
- Length: 1.5 m
- Shielding: Unshielded

### Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	300	13.00	39.00	32.50	26.50	33,588.80
Packaging Unit Inside	5	0.22	20.00	16.00	7.00	2,240.00
Packaging Unit Single	1	0.04	12.50	3.60	1.50	67.50
Net single without Packaging	1	0.04	12.50	3.60	1.50	67.50

### More images:



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schöffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)